## AiM PEOPLE DATA IMS -- MESSAGE BROKER -- AIM INTERFACE SPECS (PHASE I)

#### **SUMMARY**

- \* To auto-populate AiM's Human Resources --> Employee Record with data from IMS via Message Broker
- \* To regard UH IMS as the system of record for centralized "people" demographic data, collecting data sets from other systems of record as necessary.
- \* The data brought into AiM's Employee Record table shall be used in the space planning modules within AiM, identifying personnel occupancy within given spaces. Comprehensive reporting and analyses can be executed using relevant data sets for space planning and understanding personnel occupancy at varying levels.

#### SCOPE

#### One-time, initial refresh of existing data

- 1) Expire out of AiM any existing records that do not have valid 8-digit employee ID in employee record
- 2) Expire from AiM records that are no longer in IMS
- 3) Refresh existing records in AiM with updated info from IMS
- 4) Add new AiM records that are not currently in AiM but in IMS

### **Ongoing activity**

Create new
 Refresh existing
 Create new employee records where it does not exist in AiM
 Update existing employee records in AiM with recent data

3) **Expire old** Set expire date for employee records in AiM as they are inactive in IMS

### FIELDS TO BE PRODUCED VIA MESSAGE BROKER (PHASE I)

		DIONOL BROKE			INTERFA	
					CE	
			PRIMARY DATA	NOTES/COMME	TECHNO	
IMS FIELD	AiM DESC	AiM TABLE	SOURCE	NTS	LOGY	PHASE I
				A1. UH Number.		
		ae_h_emp_e.sh		Also Student ID		
	Employee ID	op_person	IMS	and Employee ID	MB	Υ
				A1. Does IMS		
				string names		
		ae_h_emp_e.fn		together? Need		
Name	First Name	ame	IMS	to parse for AiM?	MB	Y
Ivaille	1 IISt IVAIIIC	ano	IIVIO	to parse for Aivi:	טועו	'
Name	Middle Initial	ae_h_emp_e.mi	IMS	A1.	MB	Υ
		ae_h_emp_e.ln				
Name	Last Name	ame	IMS	A1.	MB	Υ
	UDF1 Name of					
Name of Recor	Record					
				A1 Currently		
				A1. Currently		
				using as campus		
Drimon,				designator; This should be used		
Primary Campus/UH		ao h amp a ua	IMS initially; AiM	to store UH		
Username	Other User ID(1)	er id	auto-provisioning		MB	Υ
Usemanie		ci_iu	auto-provisioning	Usemanie	סועו	ı

# AIM PEOPLE DATA IMS -- MESSAGE BROKER -- AIM INTERFACE SPECS (PHASE I)

					INITEDEA	
					INTERFA	
					CE	
			PRIMARY DATA	NOTES/COMME	TECHNO	
IMS FIELD	AiM DESC	AIM TABLE	SOURCE	NTS	LOGY	PHASE I
				This will be a		
				multi-value UDF		
				formatted as		
Employee	UDF2			such:		
Role.Subrole	Role.Subrole@Cam			Role.Subrole @		
@ Campus*	pus	UDF	IMS	Campus;	MB	Υ
		ae_h_emp_cont				
Office Phone	Office Phone	_data.o_phone	IMS		MB	Υ
		ae_h_emp_cont				
Email	Primary Email	_data.email	IMS		MB	Υ
		ae_h_emp_cont				
Fax	Fax	_data.fax_no	IMS		МВ	Υ
Campus						
Affiliation*	UDF3 Campus		IMS		MB	Υ
				Called 'Office		
	UDF4			Location' in the		
Office Location	Building+Room		IMS	Directory	MB	Υ
	UDF5 Title (per					
Job Title*	Directory)		IMS		MB	

### FIELDS TO BE AUTO-POPULATED DURING CONSUMPTION OF IMS DATA INTO AIM

AiM DESC	AiM TABLE	PRIMARY DATA SOURCE	NOTES/COMME NTS	EXAMPLE
Active	ae_h_emp_e.active	none	New records only	Active = YES
			2-selection validation:	
Employe Type	ae_h_emp_e.emp_t ype	none	ShopPerson vs Employee	Default to Employee
		none		
		none		

# AIM PEOPLE DATA IMS -- MESSAGE BROKER -- AIM INTERFACE SPECS (PHASE I)

