

ARECA NUT SYMPOSIUM

Areca nut and betel-quid chewing bibliography*

- 2002
- Winstock A. Areca nut-abuse liability, dependence and public health. *Addict Biol* 2002; 7:133–8.
- Williams S, Malik A, Chowdhury S, Chauhan S. Socio-cultural aspects of areca nut use. *Addict Biol* 2002;7:147–54.
- Warnakulasuriya S. Areca nut use following migration and its consequences. *Addict Biol* 2002;7:127–32.
- Trivedy CR, Craig G, Warnakulasuriya S. The oral health consequences of chewing areca nut. *Addict Biol* 2002;7:115–25.
- Strickland SS. Anthropological perspectives on use of the areca nut. *Addict Biol* 2002;7: 85–97.
- Lord GA, Lim CK, Warnakulasuriya S, Peters TJ. Chemical and analytical aspects of areca nut. *Addict Biol* 2002;7:99–102.
- Gupta PC, Warnakulasuriya S. Global epidemiology of areca nut usage. *Addict Biol* 2002; 7:77–83.
- Croucher R, Islam S. Socio-economic aspects of areca nut use. *Addict Biol* 2002;7:139–46.
- Chu NS. Neurological aspects of areca and betel chewing. *Addict Biol* 2002;7:111–14.
- Boucher BJ, Mannan N. Metabolic effects of the consumption of *Areca catechu*. *Addict Biol* 2002;7: 103–10.
- 2001
- Zain RB. Cultural and dietary risk factors of oral cancer and precancer—a brief overview. *Oral Oncol* 2001;37:205–10.
- Wu MT, Lee YC, Chen CJ et al. Risk of betel chewing for oesophageal cancer in Taiwan. *Br J Cancer* 2001; 85:658–660.
- Van der Bijl, Van Eyk AD, Van Wyk CW, Stander IA. Diffusion of reduced arecoline and arecaidine through human vaginal and buccal mucosa. *J Oral Pathol Med* 2001;30:200–5
- Trivedy C, Meghji S, Warnakulasuriya KA, Johnson NW, Harris M. Copper stimulates human oral fibroblasts in vitro: a role in the pathogenesis of oral submucous fibrosis. *J Oral Pathol Med* 2001;30:465–70.
- Thongsuksai P, Boonyaphiphat P. Lack of association between p53 expression and betel nut chewing in oral cancers from Thailand. *Oral Oncol* 2001;37:276–81.
- Sinha DN, Gupta PC. Tobacco and areca nut use in male medical students of Patna. *Nat Med J India* 2001;14:176–8
- Shah B, Lewis MA, Bedi R. Oral submucous fibrosis in a 11-year-old Bangladeshi girl living in the United Kingdom. *Br Dent J* 2001 ;191:130–2.
- Prabhu NT, Warnakulasuriya KAAS, Gelbier S, Robinson PG. Betel quid chewing among Bangladeshi adolescents living in East London. *Int J Paed Dent* 2001;11:18–24.
- Phukan RK, Ali MS, Chetia CK, Mahanta J. Betel nut and tobacco chewing; potential risk factors of cancer of oesophagus in Assam, India. *Br J Cancer*. 2001;85:661–7.
- 2000
- Winstock A, Trivedy C, Warnakulasuriya KAAS, Peters TJ. A dependency syndrome related to areca nut use; some medical and psychological aspects among areca nut users in the Gujarat community in the UK. *Addict Biol* 2000; 5: 173–9.
- Kaur J, Rao M, Chakravarti N, Mathur M, Shukla NK, Sanwal BD, Ralhan R. Co-expression of colligin and collagen in oral submucous fibrosis: plausible role in pathogenesis. *Oral Oncol* 2001;37:282–7.
- Jeng JH, Chang MC, Hahn LJ. Role of areca nut in betel quid associated chemical carcinogenesis: current awareness and future perspectives. *Eur J Cancer Oral Oncol* 2001;37: 477–92.
- Huang S, Ling T, Wu H. Experimental study on aqueous areca nut extracts inducing oral submucous fibrosis in rats. I. Observation of histomorphology. *Hua Xi Kou Qiang Yi Xue Za Zhi*. 1997 ;15:91–3, 96. [Chinese.]
- Huang S, Ling T, Wu H. Experimental study on aqueous areca nut extracts inducing oral submucous fibrosis in rats. II. Effect of mast cells on collagen metabolism. *Hua Xi Kou Qiang Yi Xue Za Zhi*. 1997;15:94–6. [Chinese.]
- Ferrand P, Rowe RM, Johnston A, Murdoch H. Prevalence, age of onset and demographic relationships of different areca nut habits amongst children in Tower Hamlets, London. *Br Dent J* 2001;189: 150–4.
- Deng JF, Ger J, Tsai WJ, Kao WF, Yang CC. Acute toxicities of betel nut: rare but probably overlooked events. *J Toxicol Clin Toxicol* 2001;39:355–60.
- Chu NS. Effects of Betel chewing on the central and autonomic nervous systems. Review. *J Biomed Sci*. 2001;8:229–36.
- Chang YC, Lii CK, Tai KW, Chou MY. Adverse effects of arecoline and nicotine on human periodontal ligament fibroblasts in vitro. *J Clin Periodontol* 2001 Mar;28(3):277–82
- Chang YC, Hu CC, Lii CK, Tai KW, Yang SH, Chou MY. Cytotoxicity and arecoline mechanisms in human gingival fibroblasts in vitro. *Clin Oral Investig* 2001;5:51–6.
- Chang YC, Hu CC, Tseng TH, Tai KW, Lii CK, Chou MY. Synergistic effects of nicotine on arecoline-induced cytotoxicity in human buccal mucosal fibroblasts. *J Oral Pathol Med* 2001;30:458–64
- Chang MC, Ho YS, Lee PH, Chan CP, Lee JJ, Hahn LJ, Wang YJ, Jeng JH. Areca nut extract and arecoline induced the cell cycle arrest but not apoptosis of cultured oral KB epithelial cells: association of glutathione, reactive oxygen species and mitochondrial membrane potential. *Carcinogenesis* 2001;22: 1527–35.

*Database supplied by: Douglas B. Hanson, Forsyth Dental Centre, Boston, UK and Saman Warnakulasuriya, GKT Dental Institute, Kings College, London, UK.

- Vora AR, Yeoman CM, Hayater JP. Alcohol, tobacco and paan use and understanding of oral cancer risk among Asian males in Leicester. *Br Dent J* 2000;188:444–51.
- Trivedy CR, Warnakulasuriya KAAS, Peters TJ, Senkus R, Hazarey VK, Johnson NW. Raised tissue copper levels in oral submucous fibrosis. *J Oral Pathol Med* 2000;29:241–8.
- Sullivan RJ, Allen JS, Otto C, Tiobech J, Nero K. Effects of chewing betel nut (*Areca catechu*) on the symptoms of people with schizophrenia in Palau, Micronesia. *Br J Psychiatry* 2000;177:174–8.
- Shiu MN, Chen THH, Chang SH, Hahn LJ. Risk factors for leukoplakia and malignant transformation to oral carcinoma: a leukoplakia cohort in Taiwan. *Br J Cancer* 2000;82:1871–4.
- Sharma AK, Gupta R, Gupta HP, Singh AK. Haemodynamic effects of pan masala in healthy volunteers. *J Assoc Physicians India* 2000;48:400–1.
- Merchant A, Husain SS, Hosain M *et al.* Paan without tobacco: an independent risk factor for oral cancer. *Int J Cancer* 2000;86:128–31.
- Mannan N, Boucher BJ, Evans SJ. Increased waist size and weight in relation to consumption of *Areca catechu* (betel-nut); a risk factor for increased glycaemia in Asians in east London. *Br J Nutr* 2000;83:267–75.
- Kumar M, Kannan A, Upreti RK. Effect of betel/areca nut (*Areca catechu*) extracts on intestinal epithelial cell lining. *Vet Hum Toxicol* 2000;42:257–60.
- Khan FA, Robinson PG, Warnakulasuriya KAAS, Gelbier S, Gibbons DE. Predictors of tobacco and alcohol consumption amongst minority ethnic communities in South Thames health region, England. *J Oral Pathol Med* 2000;29:214–19.
- Khan F, Robinson PG, Warnakulasuriya S, Newton T. Oral health related behaviours. In: Gibbons DE, Gelbier S, Newton T, editors. *The oral health of minority ethnic groups in contemporary Britain: a case study of the South Thames Region*. London: South Thames NHS Executive; 2000, pp. 40–5.
- Jeng JH, Ho YS, Chan CP, Wang YJ, Hahn LJ, Lei D, Hsu CC, Chang MC. Areca nut extract up-regulates prostaglandin production, cyclooxygenase-2 mRNA and protein expression of human oral keratinocytes. *Carcinogenesis* 2000;21:1365–70.
- Jeon SM, Kim HS, Lee TG, Ryu SH, Suh PG, Byun SJ, Park YB, Choi MS. Lower absorption of cholesteryl oleate in rats supplemented with *Areca catechu* L. extract. *Ann Nutr Metab* 2000;44:170–6.
- Hung SL, Chen YL, Wan HC, Liu TY, Chen YT, Ling LJ. Effects of areca nut extracts on the functions of human neutrophils *in vitro*. *J Periodontal Res* 2000;35:186–93.
- Ho TJ, Chiang CP, Hong CY, Kok SH, Kuo YS, Yen-Ping Kuo M. Induction of the c-jun protooncogene expression by areca nut extract and arecoline on oral mucosal fibroblasts. *Oral Oncol* 2000;36:432–6.
- Ho CS, Gee MJ, Tsai CC, Hwang MN. Factors related to betel chewing among junior high school students in Taiwan. *Community Dent Oral Epidemiol* 2000;28:150–4.
- Dar A, Khatoun S. Behavioural and biochemical studies of dichloromethane fraction from the *Areca catechu* nut. *Pharmacol Biochem Behav* 2000;65:1–6.
- Cox S. Oral cancer in Australia—risk factors and disease distribution. *Ann R Australas Coll Dent Surg* 2000;15:261–3.
- Behari M, Sharma AK, Changkakoti S, Sharma N, Pandey RM. Case-control study of Meige's syndrome. Result of a pilot study. *Neuroepidemiology* 2000;19:275–80.
- 1999**
- Zain RB, Ikeda N, Gupta PC *et al.* Oral mucosal lesions associated with betel quid, arecanut and tobacco chewing habits: consensus from a workshop held in Kuala Lumpur, Malaysia, November 25–27, 1996. *J Oral Pathol Med* 1999;28:1–4.
- Tsai CC, Ma RH, Shieh TY. Deficiency in collagen and fibronectin phagocytosis by human buccal mucosa fibroblasts *in vitro* as a possible mechanism for oral submucous fibrosis. *J Oral Pathol Med* 1999;28:59–63.
- Trivedy C, Warnakulasuriya S, Hazarey VK, Johnson NW. The role of copper in the aetiopathogenesis of oral submucous fibrosis. In: Varma AK, editor. *Oral Oncology Vol VI*. Delhi: Macmillan Press; 1999, pp. 7–10.
- Trivedy C, Warnakulasuriya S, Peters TJ. Areca nuts can have deleterious effects. *Br Med J* 1999;318:1287.
- Trivedy C, Warnakulasuriya KAAS, Hazarey VK, Tavassoli M, Sommer P, Johnson NW. The upregulation of lysyl oxidase in oral submucous fibrosis and squamous cell carcinoma. *J Oral Pathol Med* 1999;28:246–51.
- Shetty KV, Johnson NW. Knowledge, attitudes and beliefs of adult south Asians living in London regarding risk factors and signs for oral cancer. *Community Dent Health* 1999;16:227–31.
- Saikia JR, Schneeweis FH, Sharan RN. Arecoline-induced changes of poly-ADP ribosylation of cellular proteins and influence on chromatin organization. *Cancer Lett* 1999;139:59–65.
- Pearson N, Croucher R, Marcenes W, O'Farrel M. Dental service use and the implications for oral cancer screening in a sample of Bangladesh adult living in Tower Hamlets UK. *Br Dent J* 1999;186:517–21.
- Misra SP, Misra V, Dwivedi M, Gupta SC. Oesophageal subepithelial fibrosis: an extension of oral submucosal fibrosis. *Postgrad Med J* 1998;74(878):733–6.
- Nelson BS, Heischouer B. Betel nut: a common drug used by naturalized citizens from India, Far East Asia, and the South Pacific Islands. *Ann Emerg Med* 1999;34:238–43.
- Jeng JH, Hahn LJ, Liu BR, Hsieh CC, Chan CP, Chang MC. Effects of areca nut, inflorescence piper beetle extracts and arecoline on cytotoxic, total and unscheduled DNA synthesis in cultured gingival keratinocytes. *J Oral Pathol Med* 1999;28:64–71.
- Jeng JH, Tsai CL, Hahn LJ *et al.* Arecoline cytotoxicity on human oral mucosal fibroblasts related to cellular thiol and esterase activities. *Food Chem Toxicol* 1999;37:751–6.
- Chaudhry K. Is pan masala containing tobacco carcinogenic? *Natl Med J India* 1999;12:21–7.
- Chang YC, Tai KW, Lii CK, Chou LS, Chou MY. Cytopathic effects of arecoline on human gingival fibroblasts *in vitro*. *Clin Oral Inv* 1999;3:25–9.
- Cadugo MA, Chua MG, Feliciano MA, Jimenez FC Jr, Uy HG. A preliminary clinical study on the oral lesions among the Dumagats. *J Philipp Dent Assoc* 1998;50:36–42.
- Bhisley Ra, Ramchandrani AG, D'Souza AV, Borges AM, Notani PN. Long-term carcinogenicity of pan masala in Swiss mice. *Int J Cancer* 1999;83:679–84.
- Bedi R. What is gutkha? *Br Dent Assoc News* 1999;12:20.
- 1998**
- Trivedy C, Warnakulasuriya KAAS, Tavassoli M *et al.* p53 aberrations in oral submucous fibrosis and oral squamous cell carcinoma detected by immunocytochemistry and PCR-SSCP. *J Oral Pathol Med* 1998;27:72–7.
- Shah N, Sharma PP. Role of chewing and smoking habits in the etiology of oral submucous fibrosis: a case-control study. *J Oral Pathol Med* 1998;27:475–9.

- Reichart PA, Phillipsen HP. Betel chewer's mucosa—a review. *J Oral Pathol Med* 1998;27:239–42.
- Ramchandani AG, D'Souza AV, Borges AM, Bhisey RA. Evaluation of carcinogenic/co-carcinogenic activity of a common chewing product, pan masala, in mouse skin, stomach and esophagus. *Int J Cancer* 1998 19;75:225–32.
- Patel RK, Trivedi AH, Jaju RJ, Kukreti MS, Bhatavdekar JM, Shah PM, Patel DD. Protection from pan masala induced genomic damage by beta-carotene and retinoic acid—an *in vitro* experience. *Neoplasma* 1998;45:169–75.
- Patel RK, Trivedi AH, Roy SK, Bhatavdekar JM, Shah PM, Patel DD. Influence of tocopherol and ascorbic acid on pan masala induced damage. An *in vitro* experiment. *J Exp Clin Cancer Res* 1998;17:419–24.
- Norton SA. Betel: consumption and consequences [Review]. *J Am Acad Dermatol* 1998;38:81–8.
- Murti PR, Warnakulasuriya KAAS, Johnson NW *et al.* p53 expression in oral precancer as a marker for malignant potential. *J Oral Pathol Med* 1998;27:191–96.
- Hung DZ, Deng JF. Acute myocardial infarction temporally related to betel nut chewing. *Vet Hum Toxicol* 1998;40:25–8.
- Hazare VK, Goel RR, Gupta PC. Oral submucous fibrosis, areca nut and pan masala use: a case-control study. *Natl Med J India* 1998;11:299.
- Gupta PC, Sinor PN, Bhonsle RB, Pawar VS, Mehta HC. Oral submucous fibrosis in India; a new epidemic? *Natl Med J India* 1998;11:113–16.
- Deb S, Chatterjee A. Influence of buthionine sulfoximine and reduced glutathione on arecoline-induced chromosomal damage and sister chromatid exchange in mouse bone marrow cells *in vivo*. *Mutagenesis* 1998;13:243–8.
- Chiba I, Muthumala M, Yamazaki Y *et al.* Characteristic mutations in the p53 gene of oral squamous cell carcinomas associated with betel-quid chewing in Sri Lanka. *Int J Cancer* 1998;77:839–42.
- Chiang WT, Yang CC, Deng JF, Bullard M. Cardiac arrhythmia and betel nut chewing—is there a causal effect? *Vet Hum Toxicol* 1998;40:287–9.
- Chang YC, Tai KW, Cheng MH, Chou S, Chou MY. Cytotoxic and non-genotoxic effects of arecoline on human buccal fibroblasts *in vitro*. *J Oral Pathol Med* 1998;27:68–71.
- Chittivelu S, Chittivelu KS. Betel nut chewing and cardiac arrhythmia. *Vet Hum Toxicol* 1998 Dec;40:368–53.
- Cang MC, Kuo MY, Hahn LJ, Hsieh CC, Lin SK, Jeng JH. Areca nut extract inhibits the growth, attachment, and matrix protein synthesis of cultured human gingival fibroblasts. *J Periodontol* 1998;69:1092–7.
- 1997**
- Zain RB, Ikeda N, Razak IA *et al.* A national epidemiological survey of oral mucosal lesions in Malaysia. *Community Dent Oral Epidemiol* 1997;25:377–83.
- Zain RB, Gupta PC, Warnakulasuriya S, Shrestha P, Ikeda N, Axell T. Oral lesions associated with betel quid and tobacco chewing habits. *Oral Dis* 1997;3:204–5.
- Warnakulasuriya S, Trivedy C, Maher R, Johnson NW. Aetiology of oral submucous fibrosis. *Oral Dis* 1997;3:287–8.
- Wang CK, Hwang LS. Effect of betel quid on catecholamine secretion from adrenal chromaffin cells. *Proc Natl Sci Council Repub China B* 1997;21:129–36.
- Van Wyk CW. Oral submucous fibrosis. The south African experience. *Indian J Dental Res* 1997;8:39–45.
- Tsai CL, Kuo MY, Hahn LJ, Kuo YS, Yang PJ, Jeng JH. Cytotoxic and cytostatic effects of arecoline on oral mucosal fibroblasts. *Proc Natl Sci Council Repub China B* 1997;21:161–7.
- Trivedy C, Johnson NW. Oral cancer in South Asia. *Br Dent J* 1997;182:206.
- Trivedy C, Baldwin D, Warnakulasuriya S, Johnson N, Peters T. Copper content in *Areca catechu* (betel nut) products and oral submucous fibrosis [letter] [see comments]. *Lancet* 1997;349:1447.
- Tang JG, Jian XF, Gao ML, Ling Ty, Zhang KH. Epidemiologic survey of oral submucous fibrosis in Xiangtan City, Hunan Province, China. *Community Dent Oral Epidemiol* 1997;25:177–80.
- Strickland SS, Duffield AE. Anthropometric status and resting metabolic rate in users of the areca nut and smokers of tobacco in rural Sarawak. *Ann Hum Biol* 1997;24:453–74.
- Sarkar G, Nath N, Shukla NK, Ralhan R. Glutathione S-transferase pi expression in matched human normal and malignant oral mucosa. *Oral Oncol* 1997;33:74–81.
- Rupa DS, Eastmond DA. Chromosomal alterations affecting the 1cen-lq12 region in buccal mucosal cells of betel quid chewers detected using multicolor fluorescence *in situ* hybridization. *Carcinogenesis* 1997;18:2347–51.
- Pietrusewsky M, Douglas MT, Ikehara-Quebral RM. An assessment of health and disease in the prehistoric inhabitants of the Mariana Islands. *Am J Phys Anthropol* 1997;104:315–42.
- Murthy MK, Bhargava MK, Augustus M. Sister chromatid exchange studies in oral cancer patients. *Indian J Cancer* 1997;34:49–58.
- Merchant AT, Haider SM, Fikree FF. Increased severity of oral submucous fibrosis in young Pakistani men. *Br J Oral Maxillofac Surg* 1997;35(4):284–7.
- Liu Y, Egyhazi S, Hansson J, Bhide SV, Kulkarni PS, Grafstrom RC. O6-methylguanine-DNA methyltransferase activity in human buccal mucosal tissue and cell cultures. Complex mixtures related to habitual use of tobacco and betel quid inhibit the activity *in vitro*. *Carcinogenesis* 1997;18:1889–95.
- Johnson NW, Maher R, Trivedy C, Warnakulasuriya S. The clinical condition and pathology of oral submucous fibrosis. *Oral Dis* 1997;3:286–7.
- Hung HC, Chuang J, Chien YC *et al.* Genetic polymorphisms of CYP2E1, GSTM1, and GSTT1; environmental factors and risk of oral cancer. *Cancer Epidemiol Biomarkers Prev* 1997;6:901–5.
- Huang JS, Chiang CP, Kok SH, Kuo YS, Kuo MY. Loss of heterozygosity of APC and MCC genes in oral squamous cell carcinomas in Taiwan. *J Oral Pathol Med* 1997;26:322–6.
- Fang C, Liu S, Sheng Z, Li Z, Tang F. [Study on the cytotoxic and DNA damaging effects in oral mucosal fibroblasts by areca nut extract]. *Hunan Yi Ke Da Xue Xue Bao* 1997;22:105–8. Chinese.
- Asma S. Smokeless tobacco: betel quid chewing among adult women in Lao People's Democratic Republic. *Tobacco Control* 1997;6:157–8.
- Ahmed S, Rahman A, Hull S. Use of betel quid and cigarettes among Bangladeshi patients in an inner-city practice: prevalence and knowledge of health effects. *Br J Gen Pract* 1997;47:431–4.
- 1996**
- Yang MS, Su IH, Wen JK, Ko YC. Prevalence and related risk factors of betel quid chewing by adolescent students in southern Taiwan. *J Oral Pathol Med* 1996;25:69–71.
- Yang MS, Ko YC, Wen JK. Prevalence and related factors of substances use in female aborigines in southern Taiwan. *Kao-Hsiung I Hsueh Ko Hsueh Tsa Chih [Kaohsiung Journal of Medical Sciences]* 1996;12:634–40.

- Wyatt TA. Betel nut chewing and selected psychophysiological variables. *Psychol Rep* 1996;79:451-63.
- Williams SA, Summers RM, Ahmed IA, Prendergast MJ. Caries experience, tooth loss and oral health-related behaviours among Bangladeshi women resident in West Yorkshire, UK. *Community Dent Health* 1996;13:150-6.
- Warnakulasuriya KAAS. Ethnicity, race and oral cancer. In: Bedi R, Baht V, Rayan RR, editors, *Dentists, patients and ethnic minorities: towards the new millennium*, chapter 7. London: The Royal College of Surgeons; 1996, pp. 57-65.
- Wang HM, Ng SH, Wang CH, Liaw CC, Tsai MH, Lai GM. Correlation between computed tomographic density of lymph node metastases and response to cisplatin-based chemotherapy in patients with head and neck squamous cell carcinoma in an area in which betel quid chewing is prevalent. *Cancer* 1996;78: 1972-9.
- Wang CK, Peng CH. The mutagenicities of alkaloids and N-nitrosoguvacoline from betel quid. *Mutat Res* 1996;360: 165-71.
- Van Wyk CW, de Miranda CM, Olivia A, van der Bijl P. The effect of baked areca nut extract on the growth of buccal mucosa fibroblasts from healthy non-areca nut chewers J Dent Assoc S Africa 1996;51:29-31.
- Sharan RN. Association of betel nut with carcinogenesis: a review. *Cancer J* 1996;9:
- Reichert PA, Schmidtberg W, Scheifele C. Betel chewer's mucosa in elderly Cambodian women. *J Oral Pathol Med* 1996;25:367-70.
- Nair J, Ohshima H, Nair UJ, Bartsch H. Endogenous formation of nitrosamines and oxidative DNA-damaging agents in tobacco users [Review]. *Crit Rev Toxicol* 1996;26:149-61.
- Maher R, Sankaranarayanan R, Johnson NW, Warnakulasuriya KAAS. Evaluation of inter-incisor distance as an objective criterion of the severity of oral submucous fibrosis in Karachi, Pakistan. *Eur J Cancer B (Oral Oncol)* 1996;32:362-4.
- Lu CT, Yen YY, Ho CS *et al.* A case-control study of oral cancer in Changhua County, Taiwan. *J Oral Pathol Med* 1996;25: 245-8.
- Liu TY, Chen CL, Chi CW. Oxidative damage to DNA induced by areca nut extract. *Mutat Res* 1996;367:25-31.
- Liou SH, Wu TN, Chiang HC *et al.* Three-year survey of blood lead levels in 8828 Taiwanese adults. *Int Arch Occ Environ Health* 1996; 68:80-7.
- Lee-Chen SF, Chen CL, Ho LY *et al.* Role of oxidative DNA damage in hydroxychamvicol-induced genotoxicity. *Mutagenesis* 1996;11: 519-23.
- Lee CN, Jayanthi V, McDonald B, Probert CS, Mayberry JF. Betel nut and smoking. Are they both protective in ulcerative colitis? A pilot study. *Arq Gastroenterol* 1996;33:3-5.
- Lee CH, Lin RH, Liu SH, Lin-Shiau SY. Mutual interactions among ingredients of betel quid in inducing genotoxicity on Chinese hamster ovary cells. *Mutat Res* 1996;367:99-104.
- Joeseof MR, Sumampouw H, Linnan M, Schmid S, Idajadi A, StLouis ME. Douching and sexually transmitted diseases in pregnant women in Surabaya, Indonesia. *Am J Obstet Gynecol* 1996;174:115-19.
- Jin YT, Tsai ST, Wong TY, Chen FF, Chen RM. Studies on promoting activity of Taiwan betel quid ingredients in hamster buccal pouch carcinogenesis. *Eur J Cancer B (Oral Oncol)* 1996;34:3-6.
- Jeng JH, Lan WH, Hahn LJ, Hsieh CC, Kuo MY. Inhibition of the migration, attachment, spreading, growth and collagen synthesis of human gingival fibroblasts by arecoline, a major areca alkaloid, *in vitro*. *J Oral Pathol Med* 1996;25: 371-5.
- Heinzel PA, Balam P, Bernard HU. Mutations and polymorphisms in the p53, p21 and p16 genes in oral carcinomas of Indian betel quid chewers. *Int J Cancer* 1996;68: 420-3.
- Gupta PC. Survey of sociodemographic characteristics of tobacco use among 99,598 individuals in Bombay, India using handheld computers. *Tobacco Control* 1996;5: 114-20.
- Gupta PC, Murti PR, Bhonsle RB. Epidemiology of cancer by tobacco products and the significance of TSNA [Review]. *Crit Rev Toxicol* 1996;26:183-98.
- Franceschi S, Munoz N, Bosch XF, Snijders PJ, Walboomers JM. Human papillomavirus and cancers of the upper aerodigestive tract: a review of epidemiological and experimental evidence [Review]. *Cancer Epidemiol Biomarkers Prev* 1996;5:567-75.
- Desai SS, Ghaisas SD, Jakhi SD, Bhide SV. Cytogenetic damage in exfoliated oral mucosal cells and circulating lymphocytes of patients suffering from precancerous oral lesions. *Cancer Lett* 1996;109:9-14.
- de Miranda CM, van Wyk, van der Bijl P, Basson NJ. The effect of areca nut on salivary and selected oral microorganisms. *Int Dent J* 1996;46:350-6.
- Cox SC, Walker DM. Oral submucous fibrosis. A review [Review]. *Aust Dent J* 1996;41:294-9.
- Chen JW, Shaw JH. A study on betel quid chewing behavior among Kaohsiung residents aged 15 years and above. *J Oral Pathol Med* 1996;25:140-3.
- Bedi R. Betel-quid and tobacco chewing among the United Kingdom's Bangladeshi community. *Br J Cancer* 1996;74 (Suppl. 29):S73-7.
- Babu S, Bhat RV, Kumar PU *et al.* A comparative clinicopathological study of oral submucous fibrosis in habitual chewers of pan masala and betelquid. *J Toxicol Clin Toxicol* 1996;34: 317-22.
- Babu S, Sesikeran B, Bhat RV. Oral fibrosis among teenagers chewing tobacco, areca nut, and pan masala. *Lancet* 1996;348:692.

1995

- Yang MS, Chang FT, Chung HH, Chen SS, Ko YC. [Risk factors related to alcohol use among adolescents of fathers with alcoholism] [in Chinese]. *Kao-Hsiung i Hsueh Ko Hsueh Tsa Chih [Kaohsiung Journal of Medical Sciences]* 1995;11:686-96.
- Warnakulasuriya S. Analytical studies of the evaluation of the role of betel-quid in oral carcinogenesis. In: *Betel-quid and tobacco smoking. Usage and health issues*, chapter 6. London: Transcultural Health; 1995, pp. 61-70.
- Wang HM, Wang CH, Chen JS *et al.* Cisplatin and 5-fluorouracil as neoadjuvant chemotherapy: predicting response in head and neck squamous cell cancer. *J Formosan Med Assoc* 1995;94:87-94.
- Vatanasapt V, Martin N, Sriplung H *et al.* Cancer incidence in Thailand, 1988-1991. *Cancer Epidemiol Biomarkers Prev* 1995;4:475-83.
- Swerdlow AJ, Marmot MG, Grulich AE, Head J. Cancer mortality in Indian and British ethnic immigrants from the Indian subcontinent to England and Wales. *Br J Cancer* 1995;72: 1312-19.
- Singh A, Rao AR. Evaluation of the modifying influence of arecanut on the garlic- modulated hepatic detoxication system enzymes, sulfhydryl content, and lipid peroxidation in mice. *Teratog Carcinog Mutagen* 1995;15:127-34.
- Singh A, Rao AR. Effect of arecanut, a masticatory, on hepatic drug metabolizing enzymes—SH content and lipid peroxidation in lactating mothers and their suckling neonates. *Cancer Lett* 1995;92:175-80.
- Reichert PA. Oral cancer and precancer related to betel and miang chewing in Thailand: a review [Review]. *J Oral Pathol Med* 1995;24:241-3.

- Prabhu MS, Platel K, Saraswathi G, Srinivasan K. Effect of orally administered betel leaf (*Piper betle* L) on digestive enzymes of pancreas and intestinal mucosa and on bile production in rats. *Ind J Exp Biol* 1995;33:752-6.
- Nair UJ, Nair J, Friesen MD, Bartsch H, Ohshima H. Ortho- and meta-tyrosine formation from phenylalanine in human saliva as a marker of hydroxyl radical generation during betel quid chewing. *Carcinogenesis* 1995;16: 1195-8.
- Murti PR, Bhonsle RB, Gupta PC, Daftary DK, Pindborg JJ, Mehta FS. Etiology of oral submucous fibrosis with special reference to the role of areca nut chewing. *J Oral Pathol Med* 1995;24:145-52.
- Ma RH, Tsai CC, Shieh TY. Increased lysyl oxidase activity in fibroblasts cultured from oral submucous fibrosis associated with betel nut chewing in Taiwan. *J Oral Pathol Med* 1995;24:407-12.
- Li YM, Tsai TH, Shaw CK, Chan KW. [Health behavior in Hualien city high school students] [in Chinese]. *J Formos Med Assoc* 1995;94(Suppl. 2):S81-6.
- Lai DR, Chen HR, Lin LM, Huang YL, Tsai CC. Clinical evaluation of different treatment methods for oral submucous fibrosis. A 10-year experience with 150 cases. *J Oral Pathol Med* 1995;24:402-6.
- Kuttan NA, Rosin MP, Ambika K, Priddy RW, Bhakthan NM, Zhang L. High prevalence of expression of p53 oncoprotein in oral carcinomas from India associated with betel and tobacco chewing. *Eur J Cancer* 1995; 31B: 169-73.
- Kuo MY, Chang HH, Hahn LJ, Wang JT, Chiang CP. Elevated ras p21 expression in oral premalignant lesions and squamous cell carcinoma in Taiwan. *J Oral Pathol Med* 1995;24:255-60.
- Ko YC, Huang YL, Lee CH, Chen MJ, Lin LM, Tsai CC. Betel quid chewing, cigarette smoking and alcohol consumption related to oral cancer in Taiwan. *J Oral Pathol Med* 1995;24:450-3.
- Ikeda N, Handa Y, Khim SP *et al.* Prevalence study of oral mucosal lesions in a selected Cambodian population. *Community Dent Oral Epidemiol* 1995;23:49-54.
- Clayman GL, Chamberlain RM, Lee JJ, Lippman SM, Hong WK. Screening at a health fair to identify subjects for an oral leukoplakia chemoprevention trial. *J Cancer Educ* 1995;10:88-90.
- Chu NS. Sympathetic response to betel chewing. *J Psychoact Drugs* 1995;27:183-6.
- Chu NS. Effect of betel chewing on RR interval variation. *J Formos Med Assoc* 1995;94: 106-10.
- Chu NS. Betel chewing increases the skin temperature: effects of atropine and propranolol. *Neurosci Lett* 1995;194: 130-2.
- Chen SJ, Wu BN, Yeh JL, Lo YC, Chen IS, Chen IJ. C-fiber-evoked autonomic cardiovascular effects after injection of Piper betle inflorescence extracts. *J Ethnopharmacol* 1995;45: 183-8.
- Chen GS, Chen CH. [A statistical analysis of oral squamous cell carcinoma] [in Chinese]. *Kao-Hsiung i Hsueh Ko Hsueh Tsa Chih* [Kaohsiung Journal of Medical Sciences] 1995;11: 582-8.
- Chen CC, Huang JF, Tsai CC. *In vitro* production of interleukin-6 by human gingival, normal buccal mucosa, and oral submucous fibrosis fibroblasts treated with betel-nut alkaloids. *Kao-Hsiung i Hsueh Ko Hsueh Tsa Chih* [Kaohsiung Journal of Medical Sciences] 1995;11: 604-14.
- Bedi R, Gilthorpe MS. The prevalence of betel-quid and tobacco chewing among the Bangladeshi community resident in a United Kingdom area of multiple deprivation. *Prim Dent Care* 1995;2:39-42.
- Balaram P, Nalinakumari KR, Abraham E *et al.* Human papillomaviruses in 91 oral cancers from Indian betel quid chewers—high prevalence and multiplicity of infections. *Int J Cancer* 1995;61:450-4.

1994

- Van Wyk CW, Olivier A, De Miranda CM, Van der Bijl, Grobler-Rabie AF. Observations on the effect of areca nut extracts on oral fibroblast proliferation. *J Oral Pathol Med* 1994;23: 145-8.
- Trivedi AH, Patel RK, Rawal UM, Adhvaryu SG, Balar DB. Evaluation of chemopreventive effects of betel leaf on the genotoxicity of pan masala. *Neoplasma* 1994;41: 177-81.
- Thomas S, Brennan J, Martel G *et al.* Mutations in the conserved regions of p53 are infrequent in betel-associated oral cancers from Papua New Guinea. *Cancer Res* 1994;54: 3588-93.
- Summers RM, Williams SA, Curzon ME. The use of tobacco and betel quid ('pan') among Bangladeshi women in West Yorkshire. *Community Dent Health* 1994;11:12-16.
- Pickwell SM, Schimelpfening S, Palinkas LA. 'Betelmania'. Betel quid chewing by Cambodian women in the United States and its potential health effects. *West J Med* 1994;160:326-30.
- Patel RK, Trivedi AH, Jaju RJ, Adhvaryu SG, BalarDB. Ethanol potentiates the clastogenicity of pan masala—an *in vitro* experience. *Carcinogenesis* 1994;15: 2017-21.
- Marshall M. Betel chewing incompletely understood in journal supplement [letter; comment]. *Am J Public Health* 1994;84:1523.
- Maher R, Lee AJ, Warnakulasuriya KAAS, Lewis JA, Johnson NW. Role of areca nut in the causation of oral submucous fibrosis: a case-control study in Pakistan. *J Oral Pathol Med* 1994;23:65-9.
- Liu BH, Hsieh SF, Chang SJ, Ko YC. [Prevalence of smoking, drinking and betel quid chewing and related factors among aborigines in Wufeng District] [in Chinese]. *Kao-Hsiung i Hsueh Ko Hsueh Tsa Chih* [Kaohsiung Journal of Medical Sciences] 1994;10:405-11.
- Liu BH, Hsieh SF, Chang SJ, Ko YC. [Prevalence of smoking, drinking and betel quid chewing and related factors among aborigines in Wufeng District] [in Chinese]. *Kao Hsiung i Hsueh Ko Hsueh Tsa Chih* 1994;10:405-11.
- Liou SH, Wu TN, Chiang HC *et al.* Blood lead levels in the general population of Taiwan, Republic of China. *Int Arch Occup Environ Health* 1994;66:255-60.
- Kuo MY, Jeng JH, Chiang CP, Hahn LJ. Mutations of Ki-ras oncogene codon 12 in betel quid chewing-related human oral squamous cell carcinoma in Taiwan. *J Oral Pathol Med* 1994;23:70-4.
- Kaur J, Srivastava A, Ralhan R. Overexpression of p53 protein in betel- and tobacco-related human oral dysplasia and squamous-cell carcinoma in India. *Int J Cancer* 1994;58: 340-5.
- Johnson NW, Ranasinghe AW, Warnakulasuriya KAAS. HLA expression and p53 status in betel/tobacco quid related potentially malignant and malignant oral lesions in Sri Lanka. In: Varma AK, editor. *Oral oncology*, vol IIIA. India: Macmillan Press; 1994, pp. 199-202.
- Jeng JH, Kuo ML, Hahn LJ, Kuo MY. Genotoxic and non-genotoxic effects of betel quid ingredients on oral mucosal fibroblasts *in vitro*. *J Dent Res* 1994;73:1043-9.
- Jeng JH, Hahn LJ, Lu FJ, Wang YJ, Kuo MY. Eugenol triggers different pathobiological effects on human oral mucosal fibroblasts. *J Dent Res* 1994;73:1050-5.

- Hung CR, Cheng JT. Betel quid chewing damaged gastric mucosa: protective effects of cimetidine and sodium bicarbonate. *Chin J Physiol* 1994;37:213-18.
- Hoffmann D, Brunnenmann KD, Prokopczyk B, Djordjevic MV. Tobacco-specific N-nitrosamines and Areca-derived N-nitrosamines: chemistry, biochemistry, carcinogenicity, and relevance to humans [Review]. *J Toxicol Environ Health* 1994;41:1-52.
- Ghaisas SD, Bhide SV. *In vitro* studies on chemoprotective effect of Purnark against benzo(a)pyrene-induced chromosomal damage in human lymphocytes. *Cell Biol Int* 1994;18:21-7.
- Dowse GK. Betel-nut chewing and diabetes in Papua New Guinea and elsewhere [letter; comment]. *Diabetologia* 1994;37:1062-4.
- Chung FL, Krzeminski J, Wang M, Chen HJ, Prokopczyk B. Formation of the acrolein-derived 1,N2-propanodeoxyguanosine adducts in DNA upon reaction with 3-(N-carbethoxy-N-nitrosamino)propionaldehyde. *Chem Res Toxicol* 1994;7:62-7.
- Chu NS. Sympathetic skin responses to betel chewing. *J Formos Med Assoc* 1994;93:260-2.
- Chu NS. Effects of betel chewing on electroencephalographic activity: spectral analysis and topographic mapping. *J Formos Med Assoc* 1994;93:167-9.
- Chu NS. Effect of betel chewing on performance reaction time. *J Formos Med Assoc* 1994;93:343-5.
- Charade PP, Nair J, Bhide SV. Endogenous formation of N-nitrosoproline and other N-nitrosamino acids in tobacco users. *Cancer Lett* 1994;86:187-94.
- Carley KW, Puttaiah R, Alvarez JO, Heimburger DC, Anantha N. Diet and oral premalignancy in female south indian tobacco and betel chewers—a case-control study. *Nutr Cancer* 1994;22:73-84.
- Boucher BJ, Stowers JM, Ewen SWB. Betel-nut chewing and diabetes in Papua New Guinea and elsewhere—reply. *Diabetologia* 1994;37:1063-4.
- Boucher BJ, Ewen SW, Stowers JM. Betel nut (*Areca catechu*) consumption and the induction of glucose intolerance in adult CD1 mice and in their F1 and F2 offspring [see comments]. *Diabetologia* 1994;37:49-55.
- Bhide SV, Azuine MA, Lahiri M, Telang NT. Chemoprevention of mammary tumor virus-induced and chemical carcinogen-induced rodent mammary tumors by natural plant products. *Breast Cancer Res Treat* 1994;30:233-42.
- 1993**
- West S, Hildesheim A, Dosemeci M. Non-viral risk factors for nasopharyngeal carcinoma in the Philippines: results from a case-control study [see comments]. *Int J Cancer* 1993;55:722-7.
- Van Wyk CW, Stander I, Padayachee A, Grobler-Rabie AF. The areca nut chewing habit and oral squamous cell carcinoma in South African Indians. *S Afr Med J* 1993;33:425-9.
- Thomas S, Kearsley J. Betel quid and oral cancer: a review *Eur J Cancer Oral Oncol* 1993;29B:251-5.
- Singh A, Rao AR. Modulatory effect of Areca nut on the action of mace (*Myristica fragrans* Hoult) on the hepatic detoxification system in mice. *Food Chem Toxicol* 1993;31:517-21.
- Ranasinghe AW, Warnakulasuriya KA, Johnson NW. Low prevalence of expression of p53 oncoprotein in oral carcinomas from Sri Lanka associated with betel and tobacco chewing. *Eur J Cancer Part B, Oral Oncol* 1993;29B:147-50.
- Ranasinghe A, MacGeoch C, Dyer S, Spurr N, Johnson NW. Some oral carcinomas from Sri Lankan betel/tobacco chewers overexpress p53 oncoprotein but lack mutations in exons 5-9. *Anticancer Res* 1993;13:2065-8.
- Polasa K, Babu S, Shenolikar IS. Dose dependent genotoxic effect of pan masala and areca nut in the Salmonella typhimurium assay. *Food Chem Toxicol* 1993;31:439-42.
- Mangala B. India: Betel nut warning. *Lancet* 1993;341:
- Lu CT, Lan SJ, Hsieh CC *et al.* Prevalence and characteristics of areca nut chewers among junior high school students in Changhua county, Taiwan. *Community Dent Oral Epidemiol* 1993;21:370-3.
- Lu CT, Lan SJ, Hsieh CC *et al.* Prevalence and characteristics of areca nut chewers among junior high school students in Changhua county, Taiwan. *Community Dent Oral Epidemiol* 1993;21:370-3.
- Govekar RB, Bhisey RA. Mutagenic activity in urine samples from female tobacco habitues. *Cancer Lett* 1993;69:75-80.
- Chu NS. Cardiovascular responses to betel chewing. *J Formos Med Assoc* 1993;92:835-7.
- Chempakam B. Hypoglycaemic activity of arecoline in betel nut *Areca catechu* L. *Ind J Exp Biol* 1993;31:474-5.
- Anuradha CD, Devi CS. Serum protein, ascorbic acid and iron and tissue collagen in oral submucous fibrosis—a preliminary study. *Indian J Med Res* 1993;98:147-51.
- 1992**
- Warnakulasuriya KAAS. Smoking and chewing habits in Sri Lanka. In: Gupta PC, Hamner JE, Murti PR, editors. Control of tobacco-related cancers and other diseases. Proceedings of an International Symposium. Bombay: Oxford University Press; 1992. pp. 113-18.
- Timberlake CM, Toun AK, Hudson BJ. Precipitation of asthma attacks in Melanesian adults by sodium metabisulphite. *PNG Med J* 1992;35:186-90.
- Thomas SJ, MacLennan R. Slaked lime and betel nut cancer in Papua New Guinea [see comments]. *Lancet* 1992;340:577-8.
- Taylor RF, al-Jarad N, John LM, Conroy DM, Barnes NC. Betel-nut chewing and asthma. *Lancet* 1992;339:1134-6.
- Sundqvist K, Grafstrom RC. Effects of areca nut on growth, differentiation and formation of DNA damage in cultured human buccal epithelial cells. *Int J Cancer* 1992;52:305-10.
- Sheikh MY, Rizvi IH, Ahmed I. Oesophageal carcinoma caused by betel nut. *J Pak Med Assoc* 1992;42:145-6.
- Sharan RN, Wary KK. Study of unscheduled DNA synthesis following exposure of human cells to arecoline and extracts of betel nut *in vitro*. *Mutat. Res* 1992;278:271-6.
- Sarma AB, Chakrabarti J, Chakrabarti A *et al.* Evaluation of pan masala for toxic effects on liver and other organs. *Food Chem Toxicol* 1992;30:161-3.
- Nishikawa A, Prokopczyk B, Rivenson A, Zang E, Hoffmann D. A study of betel quid carcinogenesis—VIII. Carcinogenicity of 3-(methylnitrosamino)propionaldehyde in F344 rats. *Carcinogenesis* 1992;13:369-72.
- Nair UJ, Obe G, Friesen M, Goldberg MT, Bartsch H. Role of lime in the generation of reactive oxygen species from betel-quid ingredients. *Environ. Health Perspect* 1992;98:203-5.
- Morton JF. Widespread tannin intake via stimulants and masticatories, especially guarana, kola nut, betel vine, and accessories [Review]. *Basic Life Sci* 1992;59:739-65.
- Martin WM, Sengupta SK, Murthy DP, Barua DL. The spectrum of cancer in Papua New Guinea. An analysis based on the Cancer Registry 1979-1988. *Cancer* 1992;70:2942-50.
- Ko YC, Su IH, Lan SJ, Yen YY, Wu MC, Lee CH. [Risk factors related to the use of amphetamines in adolescent students] [in Chinese]. *Kao Hsiung I Hsueh Ko Hsueh Tsa Chih* 1992;8:24-34.

- Ko YC, Chiang TA, Chang SJ, Hsieh SF. Prevalence of betel quid chewing habit in Taiwan and related sociodemographic factors. *J Oral Pathol Med* 1992;21:261-4.
- Kiyingi KS. Slaked lime and betel nut cancer in Papua New Guinea [letter; comment]. *Lancet* 1992;340:1357-8.
- Jayanthi V, Probert CSJ, Sher KS, Mayberry. Oral submucous fibrosis—a preventable disease. *Gut* 1992;33:4-6.
- Dave BJ, Trivedi AH, Adhvaryu SG. Role of areca nut consumption in the cause of oral cancers. A cytogenetic assessment. *Cancer* 1992;70: 1017-23.
- Chou P, Hsiao KJ, Lin JW, Chen ST. Community-based survey on blood pressure, blood biochemistry and dietary habits in Pu-Li, Taiwan. *Chung Hua I Hsueh Tsai Chih (Taipei)* 1992;50:279-87.
- Boyle P, Macfarlane GJ, Zheng T, Maisonneuve P, Evstifeeva T, Scully C. Recent advances in epidemiology of head and neck cancer [Review]. *Curr Opin Oncol* 1992;4:471-7.
- Azuine MA, Bhide SV. Protective single/combined treatment with betel leaf and turmeric against methyl (acetoxymethyl) nitrosamine-induced hamster oral carcinogenesis. *Int J Cancer* 1992;51:412-15.
- Anonymous. Studies reveal higher risk of cancer among pan masala consumers. *Medical Times XXII* (8); August 1992. Bombay, India.
- 1991**
- Tsang SS, Stich HF, Fujiki H. Cell transformation induced by bovine papillomavirus DNA as an assay for tumor promoters and chemopreventive agents. *Cancer Detect Prev* 1991;15: 423-7.
- Sundqvist K, Liu Y, Erhardt P, Nair J, Bartsch H, Grafstrom RC. Areca-nut toxicity in cultured human buccal epithelial cells. *IARC Sci Publ* 1991;281-5.
- Stich HF, Mathew B, Sankaranarayanan R, Nair MK. Remission of precancerous lesions in the oral cavity of tobacco chewers and maintenance of the protective effect of beta-carotene or vitamin A [Review]. *Am J Clin Nutr* 1991;53(Suppl.):304S.
- Srivatanakul P, Parkin DM, Khlatt M *et al*. Liver cancer in Thailand. II. A case-control study of hepatocellular carcinoma. *Int J Cancer* 1991;48:329-32.
- Sankaranarayanan R, Duffy SW, Padmakumary G, Nair SM, Day NE, Padmanabhan TK. Risk factors for cancer of the oesophagus in Kerala, India. *Int J Cancer* 1991;49:485-9.
- Raisuddin S, Misra JK. Aflatoxin in betel nut and its control by use of food preservatives. *Food Addit Contam* 1991;8: 707-12.
- Prokopczyk B, Rivenson A, Hoffmann D. A study of betel quid carcinogenesis. IX. Comparative carcinogenicity of 3-(methyl-nitrosamino)propionitrile and 4-(methyl-nitrosamino)-1-(3-pyridyl)-1-butanone upon local application to mouse skin and rat oral mucosa. *Cancer Lett* 1991;60: 153-7.
- Parkin DM, Srivatanakul P, Khlatt M *et al*. Liver cancer in Thailand. I. A case-control study of cholangiocarcinoma. *Int J Cancer* 1991;48: 323-8.
- Nair U, Obe G, Nair J *et al*. Evaluation of frequency of micronucleated oral mucosa cells as a marker for genotoxic damage in chewers of betel quid with or without tobacco. *Mutat Res* 1991;261:163-8.
- Nair J, Nair UJ, Amonkar AJ, Bhide SV. Activation of N'-nitrosornicotine by hydrogen peroxide *in vitro*. *IARC Sci Publ* 1991;516-19.
- Mukherjee A, Giri AK. Sister chromatid exchange induced by 'pan masala' (a betel quid ingredient) in male mice *in vivo*. *Food Chem Toxicol* 1991;29:401-3.
- Kiyingi KS. Betel-nut chewing may aggravate asthma. *PNG Med J* 1991;34:117-21.
- Khriem RD, Mehra YN, Mann SB, Mehta SK, Chakraborti RN. Effect of instant preparation of betel nut (pan masala) on the oral mucosa of albino rats. *Indian J Med Res* 1991;94:119-24.
- Hedin CA, Axell T. Oral melanin pigmentation in 467 Thai and Malaysian people with special emphasis on smoker's melanosis. *J Oral Pathol Med* 1991;20:8-12.
- Gupta PC. Betel quid and oral cancer: prospects for prevention. *IARC Sci Publ* 1991;466-470.
- Bhide SV, Zariwala MB, Amonkar AJ, Azuine MA. Chemopreventive efficacy of a betel leaf extract against benzo[a]pyrene-induced forestomach tumors in mice. *J Ethnopharmacol* 1991;34:207-13.
- Bhide SV, Padma PR, Amonkar AJ. Antimutagenic and anticarcinogenic effects of betel leaf extract against the tobacco-specific nitrosamine 4-(N-nitrosomethylamino)-1-(3-pyridyl)-1-butanone (NNK). *IARC Sci Publ* 1991; 520-4.
- Bartsch H. N-nitroso compounds and human cancer: where do we stand? [Review]. *IARC Sci Publ* 1991;1-10.
- Banerjee SR. Child labor in suburban areas of Calcutta, West Bengal. *Indian Pediatr* 1991;28:1039-44.
- Azuine MA, Amonkar AJ, Bhide SV. Chemopreventive efficacy of betel leaf extract and its constituents on 7,12-dimethylbenz(a)anthracene induced carcinogenesis and their effect on drug detoxification system in mouse skin. *Indian J Exp Biol* 1991;29:346-51.
- Anerud A, Loe H, Boysen H. The natural history and clinical course of calculus formation in man. *J Clin Periodontol* 1991;18:160-70.
- 1990**
- Stich HF, Palcic B, Sankaranarayanan R, Mathew B, Nair MK. Quantitation of chromatin patterns by image analysis as a predictive tool in chemopreventive trials with vitamin A. *IARC Sci Publ* 1990;151-63.
- Sinor PN, Gupta PC, Murti PR *et al*. A case-control study of oral submucous fibrosis with special reference to the etiologic role of areca nut. *J Oral Pathol Med* 1990;19:94-8.
- Sankaranarayanan R. Oral cancer in India: an epidemiologic and clinical review. [Review]. *Oral Surg Oral Med Oral Pathol* 1990;69: 325-30.
- Sankaranarayanan R, Duffy SW, Padmakumary G, Day NE, Krishan NM. Risk factors for cancer of the buccal and labial mucosa in Kerala, southern India. *J Epidemiol Community Health* 1990;44:286-92.
- Sankaranarayanan R, Duffy SW, Nair MK, Padmakumary G, Day NE. Tobacco and alcohol as risk factors in cancer of the larynx in Kerala, India. *Int J Cancer* 1990;45: 879-82.
- Nigam P, Srivastava AB. Betel chewing and dental decay. *Fed Oper Dent* 1990;1:36-8.
- Nair UJ, Friesen M, Richard I, MacLennan R, Thomas S, Bartsch H. Effect of lime composition on the formation of reactive oxygen species from areca nut extract *in vitro*. *Carcinogenesis* 1990;11:2145-8.
- Murti PR, Gupta PC, Bhonsle RB, Daftary DK, Mehta FS, Pindborg JJ. Effect on the incidence of oral submucous fibrosis of intervention in the areca nut habit. *J Oral Pathol Med* 1990;19:99-100.
- Kuek LB, Chin TW, Fong KW. Lip and intraoral tumours: a local perspective. *Ann Acad Med Singapore* 1990;19: 178-81.
- Ghosh PK, Madhavi R, Guntur M, Ghosh R. Sister chromatid exchanges in patients with oral submucous fibrosis. *Cancer Genet Cytogenet* 1990;44:197-201.

- Frewer LJ. The effect of betel nut on human performance. *PNG Med J* 1990;33:143-5.
- Chakrabarti RN, Dutta K, Ghosh K, Sikdar S. Uterine cervical dysplasia with reference to the betel quid chewing habit. *Eur J Gynaecol Oncol* 1990;11:57-9.
- Axell T, Zain RB, Siwamogstham P, Tantniran D, Thampipit J. Prevalence of oral soft tissue lesions in out-patients at two Malaysian and Thai dental schools. *Community Dent Oral Epidemiol* 1990;18:95-9.
- Ahmed F, Islam KM. Site predilection of oral cancer and its correlation with chewing and smoking habit—a study of 103 cases. *Bangladesh Med Res Counc Bull* 1990;16: 17-25.
- 1989**
- Talonu NT. Observations on betel-nut use, habituation, addiction and carcinogenesis in Papua New Guineans. *PNG Med J* 1989;32: 195-7.
- Sundqvist K, Liu Y, Nair J, Bartsch H, Arvidson K, Grafstrom RC. Cytotoxic and genotoxic effects of areca nut-related compounds in cultured human buccal epithelial cells. *Cancer Res* 1989;49:294-8.
- Stich HF, Tsang SS. Promoting activity of betel quid ingredients and their inhibition by retinol. *Cancer Lett* 1989;45: 71-7.
- Stich HF, Brunneemann KD, Mathew B, Sankaranarayanan R, Nair MK. Chemopreventive trials with vitamin A and beta-carotene: some unresolved issues. *Prev Med* 1989;18: 732-9.
- Stich HF, Anders F. The involvement of reactive oxygen species in oral cancers of betel quid/tobacco chewers [Review]. *Mutat Res* 1989;214: 47-61.
- Sen S, Talukder G, Sharma A. Betel cytotoxicity [Review]. *J Ethnopharmacol* 1989;26: 217-47.
- Sankaranarayanan R, Duffy SW, Padmakumary G, Day NE, Padmanabhan TK. Tobacco chewing, alcohol and nasal snuff in cancer of the gingiva in Kerala, India. *Br J Cancer* 1989;60:638-43.
- Sankaranarayanan R, Duffy SW, Day NE, Nair MK, Padmakumary G. A case-control investigation of cancer of the oral tongue and the floor of the mouth in southern India. *Int J Cancer* 1989;44:617-621.
- Rajendran R, Vijayakumar T, Vasudevan DM. An alternative pathogenetic pathway for oral submucous fibrosis (OSMF). *Med Hypotheses* 1989;30:35-7.
- Padma PR, Lalitha VS, Amonkar AJ, Bhide SV. Anticarcinogenic effect of betel leaf extract against tobacco carcinogens. *Cancer Lett* 1989;45:195-202.
- Padma PR, Amonkar AJ, Bhide SV. Antimutagenic effects of betel leaf extract against the mutagenicity of two tobacco-specific N-nitrosamines. *Mutagenesis* 1989;4:154-6.
- Ohshima H, Friesen M, Bartsch H. Identification in rats of N-nitrosopiperonic acid as a major urinary metabolite of the areca-nut alkaloid-derived nitrosamines, N-nitrosoguvacoline and N-nitrosoguvacine. *Cancer Lett* 1989;44: 211-16.
- Nagabhushan M, Amonkar AJ, Nair UJ, D'Souza AV, Bhide SV. Hydroxychavicol: a new anti-nitrosating phenolic compound from betel leaf. *Mutagenesis* 1989;4:200-4.
- Jian XC. [Clinical investigation of oral submucous fibrosis] [in Chinese]. *Chung Hua Kou Chiang Hsueh Tsai Chih* 1989;24: 299-302.
- Huang IY, Shieh TY. [Collagen content and types in oral submucous fibrosis] [in Chinese]. *Kao Hsiung I Hsueh Ko Hsueh Tsai Chih* 1989;5:162-71.
- Deahl M. Betel nut-induced extrapyramidal syndrome: an unusual drug interaction. *Mov Disord* 1989;4:330-2.
- Chang KW, Chang CS, Lai KS, Chou MJ, Choo KB. High prevalence of human papillomavirus infection and possible association with betel quid chewing and smoking in oral epidermoid carcinomas in Taiwan. *J Med Virol* 1989; 28:57-61.
- Boyle P, Macfarlane GJ, Maisonneuve P, Zheng T, Scully C, Tedesco B. Epidemiology of mouth cancer in 1989: a review [see comments] [Review]. *J Roy Soc Med* 1990;83: 724-30.
- Amonkar AJ, Padma PR, Bhide SV. Protective effect of hydroxychavicol, a phenolic component of betel leaf, against the tobacco-specific carcinogens. *Mutat Res* 1989;210: 249-53.
- Altini M, Peters E, Hille JJ. The causation of oral precancer and cancer [Review]. *J Dent Assoc S Africa* 1989;Suppl:1-10.
- Altini M, Peters E, Hille JJ. The causation of oral precancer and cancer [Review]. *S Africa Med J* 1989;Suppl:6-10.
- Adhvaryu SG, Trivedi AH, Dave BJ. Sister chromatid exchange and betel quid chewing [letter]. *Cancer Genet Cytogenet* 1989;37: 291.
- Adhvaryu SG, Dave BJ, Trivedi AH. An *in vitro* assessment of the genotoxic potential of pan masalas. *Ind J Med Res* 1989;90:131-4.
- 1988**
- Westermeyer J. Sex differences in drug and alcohol use among ethnic groups in Laos, 1965-1975. *Am J Drug Alcohol Abuse* 1988;14:443-61.
- Wary KK, Sharan RN. Aqueous extract of betel-nut of north-east India induces DNA-strand breaks and enhances rate of cell proliferation *in vitro*. Effects of betel-nut extract *in vitro*. *J Cancer Res Clin Oncol* 1988;114:579-82.
- Taufa T. Betel-nut chewing and pregnancy. *PNG Med J* 1988;31:229-33.
- Stich HF, Rosin MP, Hornby AP, Mathew B, Sankaranarayanan R, Nair MK. Remission of oral leukoplakias and micronuclei in tobacco/betel quid chewers treated with beta-carotene and with beta-carotene plus vitamin A. *Int J Cancer* 1988;42:195-9.
- Stich HF, Hornby AP, Mathew B, Sankaranarayanan R, Nair MK. Response of oral leukoplakias to the administration of vitamin A. *Cancer Lett* 1988;40:93-101.
- Stich HF, Dunn BP. DNA adducts, micronuclei and leukoplakias as intermediate endpoints in intervention trials. *IARC Sci Publ* 1988;137-45.
- Seedat HA, Van Wyk CW. The oral features of betel nut chewers without submucous fibrosis. *J Biol Buccale* 1988;16:123-8.
- Seedat HA, Van Wyk CW. Submucous fibrosis in non-betel nut chewing subjects. *J Biol Buccale* 1988;16:3-6.
- Seedat HA, Van Wyk CW. Submucous fibrosis (SF) in ex-betel nut chewers: a report of 14 cases. *J Oral Pathol* 1988;17: 226-9.
- Seedat HA, Van Wyk CW. Betel-nut chewing and submucous fibrosis in Durban. *S Africa Med J* 1988;74:568-71.
- Seedat HA, Van Wyk CW. Betel chewing and dietary habits of chewers without and with submucous fibrosis and with concomitant oral cancer. *S Africa Med J* 1988;74:572-5.
- Reichart PA, Philippen HP, Mohr U, Geerlings H, Srisuwan S. Miang chewing in northern Thai villagers. *Trop Geogr Med* 1988;40: 39-44.
- Rajendran R, Anil S, Vijayakumar T. A rare human model for oncogenesis. *Singapore Dent J* 1988;13:49-52.
- Prokopczyk B, Bertinato P, Hoffmann D. Synthesis and kinetics of decomposition of 7-(2-cyanoethyl)guanine and O6-(2-cyanoethyl)guanine, markers for reaction of acrylonitrile and 3-(methylnitrosamino)propionitrile with DNA. *Carcinogenesis* 1988;9:2125-8.

- Nagabhushan M, Maru GB, Amonkar AJ *et al.* Catechin as an antimutagen: its mode of action [published erratum appears in *J Cancer Res Clin Oncol* 1988;114:442]. *J Cancer Res Clin Oncol* 1988;114:177-82.
- Nagabhushan M, Bhide SV. Anti-mutagenicity of catechin against environmental mutagens. *Mutagenesis* 1988;3:293-6.
- Jensen GD, Polloi AH. The very old of Palau: health and mental state. *Age Ageing* 1988;17:220-6.
- Ghosh R, Sharma JK, Ghosh PK. Sister chromatid exchanges in the lymphocytes of patients with oral leukoplakia. *Cancer Genet Cytogenet* 1988;36:177-82.
- Ghosh PK, Ghosh R. Effect of betel chewing on the frequency of sister chromatid exchanges in pregnant women and women using oral contraceptives. *Cancer Genet Cytogenet* 1988;32:211-15.
- Friesen M, Maru G, Bussachini V *et al.* Formation of reactive oxygen species and of 8-hydroxy-2'-deoxyguanosine in DNA *in vitro* with betel-quid ingredients. *IARC Sci Publ* 1988;417-21.
- Awang MN. Fate of betel nut chemical constituents following nut treatment prior to chewing and its relation to oral precancerous and cancerous lesion. *Dent J Malays* 1988;10:33-7.
- Awang MN. Betel quid and oral carcinogenesis [Review]. *Singapore Med J* 1988;29:589-93.
- 1987**
- Wiesner DM. Betel-nut withdrawal [letter]. *Med J Aust* 1987;146:453.
- Scutt A, Meghji S, Canniff JP, Harvey W. Stabilisation of collagen by betel nut polyphenols as a mechanism in oral submucous fibrosis. *Experientia* 1987;43:391-3.
- Sato T. [High-risk factors in the development of head and neck cancers] [in Japanese]. *Gan To Kagaku Ryoho* 1987;14:2626-31.
- Rosin MP, Dunn BP, Stich HF. Use of intermediate endpoints in quantitating the response of precancerous lesions to chemopreventive agents [Review]. *Can J Physiol Pharmacol* 1987;65:483-7.
- Reichart PA, Mohr U, Srisuwan S, Geerlings H, Theetranont C, Kangwanpong T. Precancerous and other oral mucosal lesions related to chewing, smoking and drinking habits in Thailand. *Community Dent Oral Epidemiol* 1987;15:152-60.
- Prokopczyk B, Rivenson A, Bertinato P, Brunnemann KD, Hoffmann D. 3-(Methylnitrosamino)propionitrile: occurrence in saliva of betel quid chewers, carcinogenicity, and DNA methylation in F344 rats. *Cancer Res* 1987;47:467-71.
- Prokopczyk B, Brunnemann KD, Bertinato P, Hoffmann D. The role of N-(nitrosomethylamino)propionitrile in betel-quid carcinogenesis. *IARC Sci Publ* 1987;470-3.
- Noor AM. Quantitative analysis of areca catechu (betel) nut flavanols (tannins) in relation to oral submucous fibrosis. *Dent J Malays* 1987;9:29-32.
- Nair UJ, Floyd RA, Nair J, Bussachini V, Friesen M, Bartsch H. Formation of reactive oxygen species and of 8-hydroxydeoxyguanosine in DNA *in vitro* with betel quid ingredients. *Chem Biol Interact* 1987;63:157-69.
- Nair J, Nair UJ, Ohshima H, Bhide SV, Bartsch H. Endogenous nitrosation in the oral cavity of chewers while chewing betel quid with or without tobacco. *IARC Sci Publ* 1987;465-9.
- Nagabhushan M, Amonkar AJ, D'Souza AV, Bhide SV. Non-mutagenicity of betel leaf and its antimutagenic action against environmental mutagens. *Neoplasma* 1987;34:159-67.
- Meghji S, Scutt A, Harvey W, Canniff JP. An *in-vitro* comparison of human fibroblasts from normal and oral submucous fibrosis tissue. *Arch Oral Biol* 1987;32:213-15.
- Kiuchi F, Miyashita N, Tsuda Y, Kondo K, Yoshimura H. Studies on crude drugs effective on visceral larva migrans. I. Identification of larvicidal principles in betel nuts. *Chem Pharmacol Bull (Tokyo)* 1987;35:2880-6.
- Balaram P, Pillai MR, Abraham T. Immunology of pre-malignant and malignant conditions of the oral cavity. II. Circulating immune complexes. *J Oral Pathol* 1987;16:389-91.
- 1986**
- Tanaka T, Kuniyasu T, Shima H *et al.* Carcinogenicity of betel quid. III. Enhancement of 4-nitroquinoline-1-oxide- and N-2-fluorenylacetylamine-induced carcinogenesis in rats by subsequent administration of betel nut. *J Natl Cancer Inst* 1986;77:777-81.
- Stich HF. Reducing the genotoxic damage in the oral mucosa of betel quid/tobacco chewers. *Basic Life Sci* 1986;39:381-91.
- Stich HF, Rosin MP, Brunnemann KD. Oral lesions, genotoxicity and nitrosamines in betel quid chewers with no obvious increase in oral cancer risk. *Cancer Lett* 1986;31:15-25.
- Schneider E. [Betel—a popular pleasure-giving substance in South Asia] [in German]. *Pharm Unserer Zeit* 1986;15:161-6.
- Panigrahi GB, Rao AR. Study of the genotoxicity of the total aqueous extract of betel nut and its tannin. *Carcinogenesis* 1986;7:37-9.
- Nair J, Ohshima H, Malaveille C *et al.* Identification, occurrence and mutagenicity in *Salmonella typhimurium* of two synthetic nitroarenes, musk ambrette and musk xylene, in Indian chewing tobacco and betel quid. *Food Chem Toxicol* 1986;24:27-31.
- MacDonald DG. Effects of arecaidine application to hamster cheek pouch. *J Oral Med* 1986;41:269-70.
- Koontongkaew S, Thaweboon B. The effect of betel nut extracts on dehydrogenase activity of *Streptococcus mutans* GS 5. *J Dent Assoc Thai* 1986;36:223-8.
- Jayant K, Deo MG. Oral cancer and cultural practices in relation to betel quid and tobacco chewing and smoking. *Cancer Detect Prev* 1986;9:207-13.
- Harvey W, Scutt A, Meghji S, Canniff JP. Stimulation of human buccal mucosa fibroblasts *in vitro* by betel-nut alkaloids. *Arch Oral Biol* 1986;31:45-9.
- Dunn BP, Stich HF. 32P-postlabelling analysis of aromatic DNA adducts in human oral mucosal cells. *Carcinogenesis* 1986;7:1115-20.
- Carr BI. Cancer in Bangladesh: a model for some problems and proposed solutions in the Third World. *Cancer Detect Prev* 1986;9:195-202.
- Canniff JP, Harvey W, Harris M. Oral submucous fibrosis: its pathogenesis and management. *Br Dent J* 1986;160:429-34.
- Bhide SV, Nair UJ, Nair J, Spiegelhalter B, Preussmann R. N-nitrosamines in the saliva of tobacco chewers or masheri users. *Food Chem Toxicol* 1986;24:293-7.
- Awang MN. Estimation of arecoline contents in commercial areca (betel) nuts and its relation to oral precancerous lesions. *Singapore Med J* 1986;27:317-20.
- Amonkar AJ, Nagabhushan M, D'Souza AV, Bhide SV. Hydroxychavicol: a new phenolic antimutagen from betel leaf. *Food Chem Toxicol* 1986;24:1321-4.
- Adhvaryu SG, Bhatt RG, Dayal PK *et al.* SCE frequencies in lymphocytes of tobacco/betel nut chewers and patients with oral submucous fibrosis. *Br J Cancer* 1986;53:141-3.

- 1985
- Sinha A, Rao AR. Transplacental micronucleus inducing ability of arecoline, a betel nut alkaloid, in mice. *Mutat Res* 1985;158:193-4.
- Sinha A, Rao AR. Induction of shape abnormality and unscheduled DNA synthesis by arecoline in the germ cells of mice. *Mutat Res* 1985;158:189-92.
- Sinha A, Rao AR. Embryotoxicity of betel nuts in mice. *Toxicology* 1985;37:315-26.
- Reichart PA, Lenz H, König H, Becker J, Mohr U. The black layer on the teeth of betel chewers: a light microscopic, microradiographic and electronmicroscopic study. *J Oral Pathol* 1985;14:466-75.
- Reichart PA, Gehring F, Becker J, Geerlings H. *Streptococcus mutans* and caries prevalence in rural Thai. *Community Dent Oral Epidemiol* 1985;13:241-43.
- Rao AR, Sinha A, Selvan RS. Inhibitory action of piper betle on the initiation of 7,12-dimethylbenz[*a*]anthracene-induced mammary carcinogenesis in rats. *Cancer Lett* 1985;26:207-14.
- Nair J, Ohshima H, Friesen M, Croisy A, Bhide SV, Bartsch H. Tobacco-specific and betel nut-specific N-nitroso compounds: occurrence in saliva and urine of betel quid chewers and formation *in vitro* by nitrosation of betel quid. *Carcinogenesis* 1985;6:295-303.
- Marshall LB. Substance use in pregnancy among two groups of urban women in Papua New Guinea. *PNG Med J* 1985;28:195-204.
- MacLennan R, Paissat D, Ring A, Thomas S. Possible aetiology of oral cancer in Papua New Guinea. *PNG Med J* 1985;28:3-8.
- Knudsen B, Saleem M. [Dental diseases and betel chewing among Maldivian school children] [in Danish]. *Tandlaegebladet* 1985;89:264-7.
- Kiyangi KS. Betel nut chewing and asthma [letter]. *Lancet* 1992;340:59-60.
- Jamrozik K. Regional variation of oral cancer in Papua New Guinea. *PNG Med J* 1985;28:9-13.
- International Association for Research on Cancer. Tobacco habits other than smoking; betel-quid and areca nut chewing; and some related nitrosamines. IARC Monograph on the Evaluation of Carcinogenic Risk of Chemicals to Humans 1985;37:1-268.
- Heidelman JF, Graham LL. Severe leukoplakia of the oral cavity induced by habitual use of betel nut quid. *J Indiana Dent Assoc* 1985;64:52.
- Hayes PA. Oral submucous fibrosis in a 4-year old girl. *Oral Surg Oral Med Oral Pathol* 1985;59:475-8.
- Cunningham L, Worrel T, Leflore J. Acute lead poisoning from the betel nut. A case report. *J Tenn Med Assoc* 1985;78:491-2.
- Cawte J. Psychoactive substances of the South Seas: betel, kava and pituri. *Aust NZ J Psychiatry* 1985;19:83-7.
- Cawte J. Psychactive substances of the south seas: betel, kava and pituri. *Aust NZ J Psychiatry* 1985;19:83-7.
- Capdevielle-Pardies P, David J, Miquel JL, le Bras M. [Quid of betel] [in French]. *Med Trop* 1985;45:299-307.
- Capdevielle-Pardies F, Miquel JL, Boutonnet P, le Bras M. [Origins, customs and social relations related to betel chewing] [in French]. *Odontostomatol Trop* 1985;8:45-51.
- Canniff JP, Batchelor JR, Dodi IA, Harvey W. HLA-typing in oral submucous fibrosis. *Tissue Antigens* 1985;26:138-142.
- Beecher DM, Hartman KS, Christen AG. Betel nut chewing in the United States: an old habit in a new country. *J Indiana Dent Assoc* 1985;64:42-4.
- 1984
- Wenke G, Rivenson A, Hoffmann D. A study of betel quid carcinogenesis. 3, 3-(Methylnitrosamino)-propionitrile, a powerful carcinogen in F344 rats. *Carcinogenesis* 1984;5:1137-40.
- Wenke G, Rivenson A, Brunnemann KD, Hoffmann D, Bhide SV. A study of betel quid carcinogenesis. II. Formation of N-nitrosamines during betel quid chewing. *IARC Sci Publ* 1984;859-66.
- Wenke G, Brunnemann KD, Hoffmann D, Bhide SV. A study of betel quid carcinogenesis. IV. Analysis of the saliva of betel chewers: a preliminary report. *J Cancer Res Clin Oncol* 1984;108:1110-13.
- Weegels P, Heywood P, Jenkins C. Consumption of betel nut and its possible contribution to protein and energy intakes. *PNG Med J* 1984;27:37-39.
- Vince JD, Salamon B, Tau G, Zilibowicz M. Digoxin type toxicity from ingestion of *Thevetia peruvila* or the case of the betel nut that wasn't. *PNG Med J* 1984;27:167-9.
- Stich HF, Stich W, Rosin MP, Vallejera MO. Use of the micronucleus test to monitor the effect of vitamin A, beta-carotene and canthaxanthin on the buccal mucosa of betel nut/tobacco chewers. *Int J Cancer* 1984;34:745-50.
- Stich HF, Rosin MP. Micronuclei in exfoliated human cells as a tool for studies in cancer risk and cancer intervention. *Cancer Lett* 1984;22:241-53.
- Stich HF, Rosin MP, Vallejera MO. Reduction with vitamin A and beta-carotene administration of proportion of micronucleated buccal mucosal cells in Asian betel nut and tobacco chewers. *Lancet* 1984;1:1204-6.
- Stich HF, Dunn BP, Pignatelli B, Ohshima H, Bartsch H. Dietary phenolics and betel nut extracts as modifiers of N-nitrosation in rat and man. *IARC Sci Publ* 1984;213-22.
- Sorsa M. Monitoring of sister chromatid exchange and micronuclei as biological endpoints. *IARC Sci Publ* 1984;339-49.
- Shirname LP, Menon MM, Bhide SV. Mutagenicity of betel quid and its ingredients using mammalian test systems. *Carcinogenesis* 1984;5:501-3.
- Rosin MP. The influence of pH on the convertogenic activity of plant phenolics. *Mutat Res* 1984;135:109-13.
- Reichart PA. Toothpastes containing betel nut (*Areca catechu* L.) from England of the nineteenth century. *J Hist Med Allied Sci* 1984;39:65-8.
- Reichart P, Gehring F. *Streptococcus mutans* and caries prevalence in Lisu and Karen of northern Thailand. *J Dent Res* 1984;63:56-8.
- Reichart P, Boning W, Srisuwan S, Theetranont C, Mohr U. Ultrastructural findings in the oral mucosa of betel chewers. *J Oral Pathol* 1984;13:166-77.
- Rao AR. Modifying influences of betel quid ingredients on B(a)P-induced carcinogenesis in the buccal pouch of hamster. *Int J Cancer* 1984;33:581-6.
- Pindborg JJ, Zheng KH, Kong CR, Lin FX. Pilot survey of oral mucosa in areca (betel) nut chewers on Hainan Island of the People's Republic of China. *Community Dent Oral Epidemiol* 1984;12:195-6.
- Panigrahi GB, Rao AR. Induction of *in vivo* sister chromatid exchanges by arecaidine, a betel nut alkaloid, in mouse bone-marrow cells. *Cancer Lett* 1984;23:189-92.
- Kreusch T, Bossmann K. [Pathological changes in the teeth and gingiva due to betel chewing in Central India] [in German]. *ZWR* 1984;93:622-6.
- Howden GF. The cariostatic effect of betel nut chewing. *PNG Med J* 1984;27:123-31.
- Gupta PC. A study of dose-response relationship between tobacco habits and oral leukoplakia. *Br J Cancer* 1984;50:527-31.

- Ghosh R, Ghosh PK. Sister chromatid exchanges in betel and tobacco chewers. *Mutat Res* 1984;139:79-81.
- Chou CC, Yu RC. Effect of *Piper betle* L. and its extracts on the growth and aflatoxin production by *Aspergillus parasiticus*. *Proc Natl Sci Coun Repub China B* 1984;8:30-5.
- Cheong YH. The fading links between tradition and oral health in Singapore. *Int Dent J* 1984;34:253-6.
- Chen HC, Chang YS, Lee TC. The mutagenicity of nitrite-treated aqueous extract of *Piper betle* L. *Proc Natl Sci Coun Repub China B* 1984;8:4-10.
- Bhide SV, Gothoskar SV, Shivapurkar NM. Arecoline tumorigenicity in Swiss strain mice on normal and vitamin B deficient diet. *J Cancer Res Clin Oncol* 1984;107:169-71.
- Barss P, Dakulala P, Doolan M. Falls from trees and tree associated injuries in rural Melanesians. *Br Med J (Clin Res Ed)* 1984;289: 1717-20.
- 1983**
- Wenke G, Hoffmann D. A study of betel quid carcinogenesis. 1. On the *in vitro* N-nitrosation of arecoline. *Carcinogenesis* 1983;4:169-72.
- Weerapradist W, Boonpuknavig V. Effect of betel nut on the buccal mucosa of the hamster cheek pouch: comparative histological study of Thai and Indian betel nut and di-methyl benzanthracene (DMBA). *J Dent Assoc Thai* 1983;33: 53-66.
- Tanaka T, Mori H, Fujii M, Takahashi M, Hirono I. Carcinogenicity examination of betel quid. II. Effect of vitamin A deficiency on rats fed semipurified diet containing betel nut and calcium hydroxide. *Nutr Cancer* 1983;4:260-6.
- Stich HF, Ohshima H, Pignatelli B, Michelin J, Bartsch H. Inhibitory effect of betel nut extracts on endogenous nitrosation in humans. *J Natl Cancer Inst* 1983;70:1047-50.
- Shirname LP, Menon MM, Nair J, Bhide SV. Correlation of mutagenicity and tumorigenicity of betel quid and its ingredients. *Nutr Cancer* 1983;5:87-91.
- Scrimgeour EM, Jolley D. Trends in tobacco consumption and incidences of associated neoplasms in Papua New Guinea. *Br Med J (Clin Res Ed)* 1983;286:1414-16.
- Saikia M, Vaidehi MP. Studies on the pathological effects of feeding betel-nut meal in albino rats. *Br J Exp Pathol* 1983;64:515-17.
- Panigrahi GB, Rao AR. Influence of caffeine on arecoline-induced SCE in mouse bone-marrow cells *in vivo*. *Mutat Res* 1983;122:347-53.
- 1982**
- Warnakulasuriya KAAS. Oral cancer—a manual for public education. Colombo: H.W.Cave & Co.; 1982.
- Warnakulasuriya KAAS. Tobacco habits in Sri Lanka—their relevance to cancer control measures. In: Tominaga S, Aoki K, editors. *Proceedings of the UICC Workshop on Smoking Control*. Nagoya: The University of Nagoya Press; 1982; pp. 70-1.
- Warnakulasuriya KAAS () Aetiology and prevention of oral cancer, In: Aoki K, Tominaga S, Hirayama T, Hirota Y, editors. *Cancer prevention in developing countries*. The University of Nagoya Press, Nagoya: 1982; pp. 419-24.
- Stich HF, Stich W. Chromosome-damaging activity of saliva of betel nut and tobacco chewers. *Cancer Lett* 1982;15:193-202.
- Stich HF, Stich W, Parida BB. Elevated frequency of micro-nucleated cells in the buccal mucosa of individuals at high risk for oral cancer: betel quid chewers. *Cancer Lett* 1982;17:125-34.
- Scrimgeour EM, Dethlefs RF, Kevau I. Delayed recovery of vision after blindness caused by methanol poisoning. *Med J Aust* 1982;2: 481-3.
- Panigrahi GB, Rao AR. Chromosome-breaking ability of arecoline, a major betel-nut alkaloid, in mouse bone-marrow cells *in vivo*. *Mutat Res* 1982;103:197-204.
- Mougne C, MacLennan R, Atsana S. Smoking, chewing and drinking in Ban Pong. Northern Thailand. *Soc Sci Med* 1982;16:99-106.
- Meltzer LT, Rosecrans JA. Tolerance to the disruptive effects of arecoline on schedule-controlled behaviour. *Psychopharmacology* 1982; 77:85-92.
- Meghji S, Canniff JP, Harvey W, Scutt A, Phillipson D. Inhibition of collagenase activity by areca nut tannins: a mechanism of collagen accumulation in oral submucous fibrosis. *J Dent Res* 1982;61:545.
- Gupta PC, Pindborg JJ, Mehta FS. Comparison of carcinogenicity of betel quid with and without tobacco: an epidemiological review [Review]. *Ecol Dis* 1982;1:213-19.
- de Costa C, Griew AR. Effects of betel chewing on pregnancy outcome. *Aust NZ J Obstet Gynaecol* 1982;22:22-4.
- Chile SK. Effect of culture filtrates of certain fungi on oxidative enzymes of betel vine *Phytophthora*. *Hindustan Antibiot Bull* 1982; 24:26-8.
- 1981**
- Vyas KM, Chile SK, Vyas RS. Effect of culture filtrate of various fungi on sporulation of betel vine *Phytophthora*. *Hindustan Antibiot Bull* 1981;23:25-6.
- Umazawa K, Fujie S, Sawamura M *et al*. Morphological transformation, sister chromatid exchange and mutagenesis assay of betel constituents. *Toxicol Lett* 1981;8:17-22.
- Stich HF, Stich W, Lam PP. Potentiation of genotoxicity by concurrent application of compounds found in betel quid: arecoline, eugenol, quercetin, chlorogenic acid and Mn²⁺. *Mutat Res* 1981;90:355-63.
- Reddy MS, Naik SR, Bagga OP, Chuttani HK. Salivary secretions in oral cancer patients with chronic tobacco-betel-line 'quid' chewing. *J Oral Med* 1981;36:7-10.
- Rao MB, Rao CB. Incidence of tempero-mandibular joint pain dysfunction syndrome in rural population. *Int J Oral Surg* 1981;10: 261-5.
- Randeria JD. Dietary modulation in cancer prevention with reference to social and cultural food habits. *Cancer Detect Prev* 1981;4: 141-8.
- Pai SR, Shirke AJ, Gothoskar SV. Long-term feeding study in C17 mice administered saccharin coated betel nut and 1,4-dinitrosopiperazine in combination. *Carcinogenesis* 1981;2: 175-7.
- Kandarkar SV, Hasgekar NN, Sirsat SM. Optical and ultra-structural pathology of vitamin A pretreated hamster cheek pouch—exposed to lime (Ca(OH)2) and tobacco over total life span. *Neoplasma*. 1981;28:729-37.
- Deshpande SM, Patil AD. Flavanoids of *Areca catechu* heartwood. *Ind J Chem* 1981;20: 628.
- Chakravarti SK, Dhiman J, Nagpaul KK. Uranium trace analysis of a chewable betel-leaf preparation and tea leaves. *Health Phys* 1981;40:78-81.
- Chakravarti SK, Dhiman J, Nagpaul KK. Uranium trace analysis of a chewable betel-leaf preparation and tea leaves. *Health Phys* 1981;40:78-81.
- Canniff JP, Harvey W. The aetiology of oral submucous fibrosis: the stimulation of collagen synthesis by extracts of areca nut. *Int J Oral Surg* 1981;10:1-7.
- 1980**
- Shivapurkar NM, Ranadive SN, Gothoskar SV, Bhide SV, Ranadive KJ. Tumorigenic effect of aqueous and polyphenolic fractions of betel nut in Swiss strain mice. *Indian J Exp Biol* 1980;18:1159-61.

- Shivapurkar NM, D'Souza AV, Bhide SV. Effect of betel-quid chewing on nitrite levels in saliva. *Food Cosmet Toxicol* 1980;18:277-81.
- Reddy MS, Naik SR, Bagga OP, Chuttani HK. Effect of chronic tobacco-betel-lime 'quid' chewing on human salivary secretions. *Am J Clin Nutr* 1980;33:77-80.
- Haddock RL, Park SK, Oplinger LC. Chronic lead poisoning in a betel nut chewing patient. *Southeast. Asian J Trop Med Public Health* 1980;11:149.
- Gupta PC, Mehta FS, Daftary DK *et al.* Incidence rates of oral cancer and natural history of oral precancerous lesions in a 10-year follow-up study of Indian villagers. *Community Dent Oral Epidemiol* 1980;8:287-333.
- Daftary DK, Bhonsle RB, Murti RB, Pindborg JJ, Mehta FS. An oral lichen planus-like lesion in Indian betel-tobacco chewers. *Scand J Dent Res* 1980;88:244-9.
- 1979**
- Yang JA, Huber SA, Lucas ZJ. Inhibition of DNA synthesis in cultured lymphocytes and tumor cells by extracts of betel nut, tobacco, and miang leaf, plant substances associated with cancer of the ororespiratory epithelium. *Cancer Res* 1979;39:4802-9.
- Wilson LG. Cross-cultural differences in indicators of improvement from psychosis: the case of betel nut chewing. *J Nerv Ment Dis* 1979;167:250-1.
- Shivapurkar NM, Bhide SV. Effect of betel-nut constituents on nucleic acid metabolism. *Indian J Exp Biol* 1979;17: 1141-4.
- Shiau YY, Kwan HW. Submucous fibrosis in Taiwan. *Oral Surg Oral Med Oral Pathol* 1979;47:453-7.
- Ranadive KJ, Ranadive SN, Shivapurkar NM, Gothoskar SV. Betel quid chewing and oral cancer: experimental studies on hamsters. *Int J Cancer* 1979;24:835-43.
- Mori M, Matsubara N, Ushimaru Y, Hirono I. Carcinogenicity examination of betel nuts and piper betel leaves. *Experientia* 1979;35: 384-5.
- Mishra SD, Gaur BK. RNA metabolism in senescing detached betel (*Piper betle* L.) leaves. *Exp Gerontol* 1979;14:43-7.
- Henderson BE, Aiken GH. Cancer in Papua New Guinea. *Natl Cancer Inst Monogr* 1979;67-72.
- Grinspan D, Abulafia J. Oral florid papillomatosis (verrucous carcinoma). *Int J Dermatol* 1979;18: 608-22.
- Cornebise C, Desvignes A, Delaveau P, Chen D. [Betel chewing and its action upon the bacterial flora] [in French]. *Actual Odontostomatol (Paris.)* 1979;33:455-60.
- Burton-Bradley BG. Is 'betel chewing' carcinogenic? [letter]. *Lancet* 1979;2:903.
- Burton-Bradley BG. Arecaidism: betel chewing in trans-cultural perspective. *Can J Psychiatry* 1979;24:481-8.
- Bhide SV, Shivapurkar NM, Gothoskar SV, Ranadive KJ. Carcinogenicity of betel quid ingredients: feeding mice with aqueous extract and the polyphenol fraction of betel nut. *Br J Cancer* 1979;40:922-6.
- Ashby J, Styles JA, Boyland E. Betel nuts, arecaidine, and oral cancer [letter]. *Lancet* 1979;1:112.
- Abraham SK, Goswami V, Kesavan PC. A preliminary assessment of possible mutagenicity of betel nut and ingredients of the betel quid when administered alone or in combinations to larvae of *Drosophila melanogaster*. *Mutat Res* 1979;66:261-6.
- 1978**
- Sadasivan G, Rani G, Kumari CK. Chromosome-damaging effect of betel leaf. *Mutat Res* 1978;57:183-5.
- Dayal PK, Mani NJ, Bhargawa K. Prevalence of oral cancer and precancerous lesions in pan/supari chewers. *Indian J Pub Health* 1978;22:234-45.
- Burton-Bradley BG. Betel chewing in retrospect. *PNG Med J* 1978;21:236-41.
- 1977**
- Abraham S, Cherian VD. Studies on cellular damage by extracts of betel leaves used to chewing. *Cytologia (Tokyo)* 1978;43:203-8.
- Smythies JR. Betel nut as a GABA blocker [letter]. *Am.J. Psychiatry* 1977;134:822.
- Simarak S, de Jong UW, Breslow N *et al.* Cancer of the oral cavity, pharynx/larynx and lung in North Thailand: case-control study and analysis of cigar smoke. *Br J Cancer* 1977; 36:130-40.
- Schamschula RG, Adkins BL, Barmes DE, Charlton G. Betel chewing and caries experience in New Guinea. *Community Dent Oral Epidemiol* 1977;5:284-6.
- Reed D. Current status of cancer studies in the South Pacific. *Natl Cancer Inst Monogr* 1977;47:61-6.
- Moller JJ, Pindborg JJ, Effendi I. The relation between betel chewing and dental caries. *Scand J Dent Res* 1977;85:64-70.
- Lodge D, Johnston GAR, Curtis DR, Brand SJ. Effects of the areca nut constituents arecaidine and guvagine on the action of GABA in the cat central nervous system. *Brain Res* 1977;136:513-22.
- Kandarkar SV, Sirsat SM. Changes in vitamin A conditioned hamster cheek pouch epithelium on exposure to commercial shell lime (calcium hydroxide) and tobacco. I-Optical histopathology. *J Oral Pathol* 1977;6:191-202.
- Jafarey NA, Mahmood Z, Zaidi SHM. Habits and dietary pattern of cases of carcinoma of the oral cavity and oropharynx. *J Pakistan Med Assoc* 1977;27:340-3.
- 1976**
- Van Wyk CW. Oral lesions caused by habits. *Forens Sci* 1976;7:41-9.
- Stricherz ME, Pratt P. Betel quid and reaction time. *Pharmacol Biochem Behav* 1976;4: 627-8.
- Ranadive KJ, Gothoskar SV, Rao AR, Tezabwalla BU, Ambaye RY. Experimental studies on betel nut and tobacco carcinogenicity. *Int J Cancer* 1976;17:469-76.
- Malhotra SL. New approaches to the causation and prevention of cancers of epithelial surfaces. *Med Hypotheses* 1976;2:279-81.
- Kwan HW. A statistical study on oral carcinomas in Taiwan with emphasis on the relationship with betel nut chewing: a preliminary report. *J Formos Med Assoc* 1976;75: 497-505.
- Arjungi KN. Areca nut: a review [Review]. *Arzneimittelforschung* 1976;26:951-6.
- 1975**
- Vimokesant SL, Hilker DM, Nakornchai S, Rungruangsak K, Dhanamitta S. Effects of betel nut and fermented fish on the thiamin status of northeastern Thais. *Am J Clin Nutr* 1975;28:1458-63.
- Johnston GA, Krogsgaard-Larsen P, Stephanson A. Betel nut constituents as inhibitors of gamma-aminobutyric acid uptake. *Nature* 1975;258:627-8.

- Hecht SS, Ornaf RM, Hoffmann D. Chemical studies on tobacco smoke. XXXIII. N'-nitrosornornicotine in tobacco: analysis of possible contributing factors and biologic implications. *J Natl Cancer Inst* 1975;54: 1237-44.
- 1974**
Moller IJ, Pindborg JJ. [Betel chewing seems to have cariostatic effect] [in Danish]. *Tandlaegebladet* 1974;78:157-9.
- 1973**
Singh G. Betel chewer's perleche. *Br J Dermatol* 1973;89: 98.
Senewiratne B, Urugoda CG. Betel chewing in Ceylon. *Am J Trop Med Hyg* 1973;22: 418-22.
Pindborg JJ. Illustration of betel (areca) nut chewing in Sawankalok celadon figurines from Thailand. *J Hist Med Allied Sci* 1973;28: 46-7.
Lee HT. The history, composition, chemistry & pharmacology of the betel-tobacco chew (QUID). *Dent J Malays Singapore* 1973;13: 63-9.
- 1972**
Rao MV, Narasimham B. Studies on the packing methods for prolonging storage life of betel leaves. *Hindustan Antibiot Bull* 1972;14:181-3.
Mishra SD, Gaur BK. Control of senescence in betel leaves by depetiolation. *Exp Gerontol* 1972;7:31-5.
Mehta FS, Gupta PC, Daftary DK, Pindborg JJ, Choksi SK. An epidemiologic study of oral cancer and precancerous conditions among 101761 villagers in Maharashtra India. *Int J Cancer* 1972;10:134-41.
Hamner JE. Betel quid inducement of epithelial atypia in the buccal mucosa of baboons. *Cancer* 1972;30:1001-5.
Hamner JE, III, Reed OM. Betel quid carcinogenesis in the baboon. *J Med Primatol* 1972;1: 75-85.
- 1971**
Suri K, Goldman HM, Wells H. Carcinogenic effect of a dimethyl sulphoxide extract of betel nut on the mucosa of the hamster buccal pouch. *Nature* 1971;230:383-4.
Nanda RS, Kapoor K. Fluoride content of piper betel and its constituents. *Indian J Med Res* 1971;59:1966-70.
Mukherjee S. Biochemical changes of saliva during betel chewing. *J Indian Dent Assoc* 1971;43:113-18.
- 1970**
Stephen SJ, Urugoda CG. Some observations of oesophageal carcinoma in Ceylon, including its relationship to betel chewing. *Br J Cancer* 1970;24:11-15.
Nieschulz O. [Pharmacology of the active substances in betel. 3. Experiments with arecaidine] [in German]. *Arzneimittelforschung* 1970;20:218-29.
Lee KW, Chin CT. The effects of betel-nut chewing on the buccal mucosa: a histological study. *Br J Cancer* 1970;24:433-41.
Fendell LD, Smith JR. Betel-nut-associated cancer: report of case. *J Oral Surg* 1970;28: 455-6.
Deshpande SM, Upadhyay RR, Singhe RP. Chemical study of Piper betel leaves. *Curr Sci* 1970;39:372.
Chin CT, Lee KW. The effects of betel-nut chewing on the buccal mucosa of 296 Indians and Malays in West Malaysia. A clinical study. *Br J Cancer* 1970;24:427-32.
Chandra S, Desai VM. Relationship of betel chewing and dental caries. *J Indian Dent Assoc* 1970;42:269-76.
- 1969**
Tennekoon GE, Bartlett GC. Effect of betel chewing on the oral mucosa. *Br J Cancer* 1969;23:39-43.
Shivashankar NM, Dhanaraj S, Mathew AG *et al*. Physical and chemical characteristics of processed areca nuts. *J Food Sci Technol* 1969;41:113-16.
Schonland M, Bradshaw E. Upper alimentary tract cancer in Natal Indians with special reference to the betel-chewing habit. *Br J Cancer* 1969;23:670-82.
Schonland M, Bradshaw E. An epidemiological association between betel-chewing and upper alimentary tract cancer among Natal Indians. *Proc Int Acad Oral Pathol* 1969; 188-94.
Meng ML. [The quid of betel] [in French]. *Rev Stomatol Chir Maxillofac* 1969;70:417-30.
Mehta FS, Pindborg JJ, Gupta PC, Daftary DK. Epidemiologic and histologic study of oral cancer and leukoplakia among 50,915 villagers in India. *Cancer* 1969;24:832-49.
Mehta FS, Daftary DK, Shroff BC, Sanjivi LD. Clinical and histologic study of oral leukoplakia in relation to habits. *Oral Pathol* 1969;28: 372-88.
Engelkes G. [Betel nuts and dental remedies] [in German]. *Zahnarztl Prax* 1969;20:156.
Engelkes G. [Betel nuts and dental remedies. A brief look at ancient folk remedies] [in German]. *Quintessenz* 1969;20: 165-6.
Chawla TN, Mathur MN, Misra RK. Oral environmental influence in the causation of leukoplakia (A study of tobacco, quid and betel chewing). *J Indian Dent Assoc* 1969;41: 65-8.
Boylard E, Nery R. Mercapturic acid formation during the metabolism of arecoline and arecaidine in the rat. *Biochem J* 1969;113:123-30.
- 1968**
Otto Nieschulz. *Über betel und seine wirkstoffe* [in German] *Med Medschr* 1968;22:386-9.
Nieschulz O. [On betel nut and its active substance] [in German]. *Med Monatsschr* 1968;22:386-9.
Nieschulz O, Schmersahl P. [On the pharmacology of active materials from betel. 2. Transformation of arecoline to arecaidine] [in German]. *Arzneimittelforschung* 1968;18:222-5.
Juptner H. [Clinical and experimental studies on the effects of intense betel chewing in the natives of Trobriand Islands (New Guinea)] [in German]. *Z Tropenmed Parasitol* 1968;19: 254-7.
Boylard E. The possible carcinogenic action of alkaloids of tobacco and betel nut. *Planta Med* 1968;13-23.
Ahluwalia HS, Ponnampalam JT. The socio-economic aspects of betel-nut chewing. *J Trop Med Hyg* 1968;71:48-50.
- 1967**
Wærhaug J. Prevalence of periodontal disease in Ceylon. Association with age, sex, oral hygiene, socio-economic factors, vitamin deficiencies, malnutrition, betel and tobacco consumption and ethnic group. Final report. *Acta Odontol Scand* 1967;25:205-31.
Reddy DG, Anguli VC. Experimental production of cancer with betel nut, tobacco and slaked lime mixture. *J Indian Med Assoc* 1967;49: 315-18.
Pindborg JJ, Kiaer J, Gupta PC, Chawla TN. Studies in oral leukoplakias. Prevalence of leukoplakia among 10,000 persons in Lucknow, India, with special reference to use of tobacco and betel nut. *Bull WHO* 1967;37: 109-16.
Nieschulz O. [On the pharmacology of the active substances of betel. 1. Central effect of arecoline] [in German]. *Arzneimittelforschung* 1967;17:1292-7.

- Meyer J, Daftary DK, Pindborg JJ. Studies in oral leukoplakia XI Histopathology of leukoplakias in Indians chewing pan with tobacco. *Acta Odont Scand* 1967;25:397-435.
- Holmsteadt B, Lundren G. arecoline, nicotine and related compounds. Tremogenic activity and effects upon brain acetylcholine. *Ann NY Acad Sci* 1967;142:126-42.
- Bachand RG. Betel chewing: some observations of the habit among the Vietnamese. *Dent Stud* 1967;45:581-3.
- 1966**
- Lauer HH. [On tradition of exotic drugs: fafal (*Areca catechu* L.)—the betel nut] [in German]. *Sudhoffs Arch Vierteljahrsschr Gesch Med Naturwiss Pharm Math* 1966;50:178-204.
- Chang KM. Experimental production of lesions on cheek pouch of the hamster by betel quid. *Taiwan I Hsueh Hui Tsa Chih* 1966;65:125-31.
- Chang KM. Betel nut chewing and mouth cancer in Taiwan. 2. Observation of the oral mucosa in the betel nut chewer. *Taiwan I Hsueh Hui Tsa Chih* 1966;65:79-85.
- Burton-Bradley BG. Papua and New Guinea transcultural psychiatry: some implications of betel chewing. *Med J Aust* 1966;2:744-6.
- Hayman M. a survey of the use, distribution and physical properties of the betel nut (*Areca catechu*). Cross-cultural study of dissociational states. Working paper no 3. Columbus: Department of Anthropology, Ohio State University; 1965.
- Hirayama T. An epidemiological study of oral and pharyngeal cancer in Central and South-East Asia. *Bull WHO* 1966;34:41-69.
- 1965**
- Forlen HP, Hornstein O, Stuttgart G. Betel quid and leukoplakia (German) *Arch Klin Exp Dermatol* 1965;221:463-80.
- 1964**
- Chang KM. Betel nut chewing and mouth cancer in Taiwan. First report: survey of disposition of mouth cancer in Taiwan. *J Formos Med Assoc* 1964;63:437-48.
- 1962**
- Dunham LJ, Herrold KM. Failure to produce tumours in hamster cheek pouch by exposure to ingredients of betel quid; histopathologic changes in the pouch and other organs by exposure to known carcinogens. *J Natl Cancer Inst* 1962;29:1047-67.
- 1961**
- Mehta FS, Sanjana MK, Shroff BC, Doctor RH. Incidence of leukoplakia among pan (betel leaf) chewers and bedi smokers: a study of a sample survey. *Indian J Med Res* 1961;49:393-9.
- 1960**
- Muir CS, Kirk R. Betel, tobacco and cancer of the mouth. *Br J Cancer* 1960;14:597-608.
- Marsden ATH. Betel cancer in Malaya. *Med J Malaya* 1960;14:162-5.
- 1958**
- Raghavan V, Baruah HK. Areca nut: India's popular masticatory—history, chemistry and utilization. *Econ Bot* 1958;12:315-25.
- 1957**
- Meenakshi S. When areca nut reduced the desire for alcohol. *Areca J* 1957;8:88-92.
- 1952**
- Gerry RG, Smith ST, Carlton ML. The oral characteristics of Guamanians including the effects of betel chewing on the oral tissues. Parts 1 & 2 *Oral Surg* 1952;5:762-81; 884-894.
- Gerry RG, Smith ST, Carlton ML. Diseases of the oral mucous membranes and dental supporting tissues in Guamanians. Part 3. *Oral Surg* 1952;5:1004-11.
- 1949**
- Balendra W. The effect of betel chewing on the dental and oral tissues and its possible relationship to buccal carcinoma. *Br Dent J* 1949;87:83-7.
- 1946**
- Eisen MJ. Betel chewing among natives of the southwest Pacific islands. *Cancer Res* 1946;139-41.
- 1945**
- Euler US, Domeij B. Nicotine-like actions of arecoline. *Acta Pharmacol* 1945;1:263-9.
- 1942**
- Krenger W. History and culture of betel chewing. Synthesis and preparation of betel [German]. *Ciba Z* 1942;84:2922-41.
- 1933**
- Orr IM. Oral cancer in betel nut chewers in Travancore. Its aetiology, pathology and treatment. *Lancet* 1933;575-80.
- 1906**
- Boak SD. Betel-nut chewing. *J Dent Sci* 1906;49:1006-10.
- 1902**
- Balaram AP. The use of betel nut as a cause of cancer in Malabar. *Ind Med Gaz* 1902;37:414.