

PEDIATRICS®

The Misuse of Race in Medical Diagnosis

Richard S. Garcia

Pediatrics 2004;113:1394-1395

DOI: 10.1542/peds.113.5.1394

This information is current as of May 10, 2005

The online version of this article, along with updated information and services, is located on the World Wide Web at:

<http://www.pediatrics.org/cgi/content/full/113/5/1394>

PEDIATRICS is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. PEDIATRICS is owned, published, and trademarked by the American Academy of Pediatrics, 141 Northwest Point Boulevard, Elk Grove Village, Illinois, 60007. Copyright © 2004 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 0031-4005. Online ISSN: 1098-4275.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™



3. National Center on Sleep Disorders Research. 2003 national sleep disorders research plan. Available at: www.nhlbi.nih.gov/health/prof/sleep/res_plan/index.html. Accessed March 15, 2004
4. Uong EC, McDonough JM, Tayag-Kier CE, et al. Magnetic resonance imaging of the upper airway in children with Down syndrome. *Am J Respir Crit Care Med*. 2001;163:731-736
5. Arens R, McDonough JM, Costarino AT, et al. Magnetic resonance imaging of the upper airway structure in children with obstructive sleep apnea syndrome. *Am J Respir Crit Care Med*. 2001;164:698-703
6. Arens R, McDonough JM, Corbin AM, et al. Linear dimensions of the upper airway structure during development: assessment by magnetic resonance imaging. *Am J Respir Crit Care Med*. 2002;165:117-122
7. Arens R, McDonough JM, Corbin AM, et al. Upper airway size analysis by magnetic resonance imaging of children with obstructive sleep apnea syndrome. *Am J Respir Crit Care Med*. 2003;167:65-70
8. Goodwin JL, Enright PL, Kaemingk KL, et al. Feasibility of using unattended polysomnography in children—report of the Tucson Children's Assessment of Sleep Apnea Study (TuCASA). *Sleep*. 2001;24:937-944
9. Quan SF, Goodwin JL, Babar SI, et al. Sleep architecture in normal Caucasian and Hispanic children aged 6-11 years recorded during unattended home polysomnography: experience from the Tucson Children's Assessment of Sleep Apnea Study (TuCASA). *Sleep Med*. 2003;4:13-19
10. Goodwin JL, Babar SI, Kaemingk KL, et al. Symptoms related to sleep-disordered breathing in white and Hispanic Children: the Tucson Children's Assessment of Sleep Apnea Study. *Chest*. 2003;124:196-203
11. Kaemingk KL, Pasvogel AE, Goodwin JL, et al. Learning in children and sleep disordered breathing: findings of the Tucson Children's Assessment of Sleep Apnea (TuCASA) prospective cohort study. *J Int Neuropsychol Soc*. 2003;9:1016-1026
12. Fregosi RF, Quan SF, Kaemingk KL, et al. Sleep-disordered breathing, pharyngeal size and soft tissue anatomy in children. *J Appl Physiol*. 2003;95:2030-2038
13. Chervin RD, Dillon JE, Archbold KH, Ruzicka DL. Conduct problems and symptoms of sleep disorders in children. *J Am Acad Child Adolesc Psychiatry*. 2003;42:201-208
14. Chervin RD, Archbold KH, Dillon JE, et al. Inattention, hyperactivity, and symptoms of sleep-disordered breathing. *Pediatrics*. 2002;109:449-456
15. Archbold KH, Pituch KJ, Panahi P, Chervin RD. Symptoms of sleep disturbances among children at two general pediatric clinics. *J Pediatr*. 2002;140:97-102
16. Chervin RD, Archbold KH, Panahi P, Pituch KJ. Sleep problems seldom addressed at two general pediatric clinics. *Pediatrics*. 2001;107:1375-1380
17. Chervin RD, Archbold KH. Hyperactivity and polysomnographic findings in children evaluated for sleep-disordered breathing. *Sleep*. 2001;24:313-320
18. O'Brien LM, Holbrook CR, Mervis CB, et al. Sleep and neurobehavioral characteristics of 5- to 7-year-old children with parentally reported symptoms of attention-deficit/hyperactivity disorder. *Pediatrics*. 2003;111:554-563
19. Crabtree VM, Ivanenko A, O'Brien LM, Gozal D. Periodic limb movement disorder of sleep in children. *J Sleep Res*. 2003;12:73-81
20. Marcus CL, Lutz J, Carroll JL, Bamford O. Arousal and ventilatory responses during sleep in children with obstructive sleep apnea. *J Appl Physiol*. 1998;84:1926-1936
21. Marcus CL, Lutz J, Hamer A, Smith PL, Schwartz A. Developmental changes in response to subatmospheric pressure loading of the upper airway. *J Appl Physiol*. 1999;87:626-633
22. Marcus CL, Moreira GA, Bamford O, Lutz J. Response to inspiratory resistive loading during sleep in normal children and children with obstructive apnea. *J Appl Physiol*. 1999;87:1448-1454
23. Goh DYT, Galster P, Marcus CL. Sleep architecture and respiratory disturbances in children with obstructive sleep apnea. *Am J Respir Crit Care Med*. 2000;162:682-686
24. Prado LBF, Li X, Thompson R, Marcus CL. Body position and obstructive sleep apnea in children. *Sleep*. 2002;25:66-71
25. Gold AR, Marcus CL, Gold MS. Upper airway collapsibility during sleep in upper airway resistance syndrome. *Chest*. 2002;121:1531-1540
26. Katz ES, Greene M, Carroll J, Loughlin GM, Carson K, Marcus CL. Night-to-night variability in pediatric polysomnography. *J Pediatr*. 2002;140:589-594
27. Katz ES, Lutz J, Black C, Marcus CL. Pulse transit time as a measure of arousal and respiratory effort in children with sleep-disordered breathing. *Pediatr Res*. 2003;53:580-588
28. Weatherly RA, Mai EF, Ruzicka DL, Chervin RD. Identification and evaluation of obstructive sleep apnea prior to adenotonsillectomy in children: a survey of practice patterns. *Sleep Med*. 2003;4:297-307
29. Archbold KH, Giordani B, Ruzicka DL, Chervin RD. Cognitive executive dysfunction in children with mild sleep-disordered breathing. *Biol Res Nurs*. 2004;5:168-176
30. American Thoracic Society. Standards and indications for cardiopulmonary sleep studies in children. *Am J Respir Crit Care Med*. 1996;153:866-878
31. American Thoracic Society. Cardiorespiratory sleep studies in children: establishment of normative data and polysomnographic predictors of morbidity. *Am J Respir Crit Care Med*. 1999;160:1381-1387
32. American Academy of Pediatrics, Section on Pediatric Pulmonology, Subcommittee on Obstructive Sleep Apnea Syndrome. Clinical practice guideline: diagnosis and management of childhood obstructive sleep apnea syndrome. *Pediatrics*. 2002;109:704-712

The Misuse of Race in Medical Diagnosis

I am a 39-year-old Hispanic male born in Stockton, Calif, to a mother who—after many years of unwise eating—has recently been diagnosed with diabetes and to a father I didn't know who floated away at the end of a needle in his sister's garage. I prefer being called Mexican to Hispanic, though I've never been to Mexico. I eat a fat American's diet. Speak American English. Although I don't smoke, I have been living in a big city with polluted air. An American city where I recently was an assistant professor of pediatrics, working in a profession that tries to define my indefinable race without asking for my input.

I helped train medical students and residents who are all taught, as I was when I was a medical student, to assess each patient first in terms of age, race, and gender. Always in that order. A 52-year-old white female, a 3-month-old Asian male, a 39-year-old Hispanic male. The actual identity of patients remains ignored: A 47-year-old African American female—who's never been to Africa and prefers to call herself black if ever asked by a white doctor, though none ever asks—two-pack-a-day smoker, still living with her mother in South Central Los Angeles, presents with fatigue.

The doctor asks the patient—or the parent of the patient, if you're a pediatrician—for his or her age. The gender is determined during the physical examination. But the doctor usually just assumes the patient's race by looking at the person. My professors told me, and current textbooks still say, that knowing the patient's race helps the doctor make an accurate diagnosis. So the doctor looks at the patient's skin, nose, hair, lips—the silent mouth—and defines ancestry in a single word: Asian, Hispanic, white, Af-

Received for publication Jul 22, 2003; accepted Aug 20, 2003.

This commentary was previously published in the *The Chronicle of Higher Education* (2003;49:B15). Copyright © 2003 by Richard Garcia. Republished with permission.

Address correspondence to Richard S. Garcia, MD, Pediatric Emergency/Urgent Care, Providence St Joseph's Medical Center, 501 S Buena Vista St, Burbank, CA 91505-4866. E-mail: rsarcia@pol.net

rican American. I smiled when one doctor described the Nigerian father of a patient as an African American. The Nigerian father didn't smile.

The textbooks say that a patient's race can, and should, influence the doctor's thinking about possible diagnoses. An Ashkenazic Jewish infant might have Tay-Sachs disease. A black boy might have sickle cell anemia. A Southeast Asian girl might have thalassemia. Of course, I know that Ashkenazic Jews get Tay-Sachs, but the only infant I ever saw with Tay-Sachs was a Mexican child. I didn't misdiagnose the disease because he was Mexican instead of Jewish.

Do all Hispanics have the same genetic risk for asthma? Do Mexicans and Puerto Ricans eat the same diet? What about a patient from Spain—is he Hispanic in the same way that I am?

My childhood friend Lela wasn't diagnosed with cystic fibrosis until she was 8 years old. Over the years, her doctors had described her as a "2-year-old black female with fever and cough...4-year-old black girl with another pneumonia. Lela is back." Had she been a white child, or had no visible "race" at all, she would probably have gotten the correct diagnosis and treatment much earlier. Only when she was 8 did a radiologist, who had never seen her face to face, notice her chest radiograph and ask, "Who's the kid with CF?"

An emergency room physician referred a patient to me with this history: "A 14-year-old black male from South Central Los Angeles with a positive tox screen presents with headache. He's probably in a gang." I ordered a computed tomography scan of the patient's head and discovered a large cyst that had blocked the normal flow of cerebral spinal fluid until the fluid had backed up and squashed his brain against his skull. Yes, he had a headache, and he had smoked a joint before going to the hospital.

Those are just two examples of incorrect diagnoses caused by doctors who use racial assumptions to arrive at incorrect medical conclusions. As a physician, such misdiagnoses disturb me. I am also concerned as a father. I am Mexican from California, and my wife is black from Los Angeles. Our daughter is blonde with green eyes and pale skin. I have no known white ancestors, and that kind of heritage—even if it is just a legend—would not be left out of my family's stories. In my wife's case, her mother is now tracing their family's roots back through American history; as of 1843, she has not found a single white ancestor. But my wife's relatives generally have fair skin, and I suspect that my mother-in-law will eventually find a slave owner or overseer or some other white man who is responsible for that, and for my daughter's appearance.

What concerns me is that many years from now, when she is old enough to see a doctor with neither me nor my wife present, the doctor will use what he assumes is her race to misdiagnose her: "A 19-year-old white female presents with irritability."

Here is the crux of the problem: My daughter's race can never be known. Her genetic risk for this or that disease is necessarily imprecise because she is a person, not a race.

Americans used to define anyone who had "one drop of Negro blood" as a Negro, but we now know that definition makes no sense. We learn nothing if we group together as Asian Americans a man in Seattle who was born in the far-eastern portion of the former Soviet Union, a Korean woman living in Toronto, and a child in California with maternal grandparents who immigrated from China and a father whose ancestors came to New Jersey from Europe. There are almost as many definitions of Hispanic as there are Hispanics. Do I have the same genetic risk for sickle cell anemia as a Puerto Rican, a Spaniard, or a Mayan? What about my daughter, and the millions like her in this country, whose racial and ethnic ancestry defies geography and time?

If by using a patient's ancestry in medical discourse we can narrow the range of possible diagnoses, then at least we must be careful to describe accurately the genetic, ethnic, cultural, or geographical variables involved; guessing what category a person fits in is not acceptable. And when "race" cannot possibly matter, let us omit it. What difference does it make if it is an African American or an Asian who has an earache or ingrown toenail?

Medical school professors must teach students that a Hispanic is not real. That an Asian American doesn't exist. That whites exist only in America: They are Irish in Ireland, Italian in Italy, Spaniards in Spain. That harm—real, physical harm—can come from calling a child with cystic fibrosis an African American.

Race does exist in America, alas. It's why my daughter's history here starts in slavery. It's why my Mexican face identifies me to strangers before they know I'm an educated member of the middle class. It's why nobody dares to ask for details about anybody else's identity.

RICHARD S. GARCIA, MD
Pediatric Emergency/Urgent Care
Providence St Joseph's Medical Center
Burbank, CA 91505-4866

Hospital-Acquired Hyponatremia: Why Are There Still Deaths?

Intravenous fluids are probably the most frequently prescribed medication for hospitalized children. The current practice of administering hypotonic fluids to children is based largely on recommendations of Holliday and Segar,¹ made almost 50 years ago and on their assumption that the electrolyte composition of intravenous fluids should approximate the composition of human and cow milk.

Received for publication Nov 25, 2003; accepted Nov 25, 2003.
Address correspondence to Michael L. Moritz, MD, Division of Nephrology, Children's Hospital of Pittsburgh, 3705 Fifth Ave, Pittsburgh, PA 15213-2538. E-mail: michael.moritz@chp.edu
PEDIATRICS (ISSN 0031 4005). Copyright © 2004 by the American Academy of Pediatrics.

The Misuse of Race in Medical Diagnosis

Richard S. Garcia

Pediatrics 2004;113:1394-1395

DOI: 10.1542/peds.113.5.1394

This information is current as of May 10, 2005

**Updated Information
& Services**

including high-resolution figures, can be found at:
<http://www.pediatrics.org/cgi/content/full/113/5/1394>

Subspecialty Collections

This article, along with others on similar topics, appears in the following collection(s):

Office Practice

http://www.pediatrics.org/cgi/collection/office_practice

Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:

<http://www.pediatrics.org/misc/Permissions.shtml>

Reprints

Information about ordering reprints can be found online:

<http://www.pediatrics.org/misc/reprints.shtml>

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™

