

Reported AIDS diagnoses in 2005 by selected characteristics, Ohio

Characteristic	AIDS Diagnoses					
	2005 AIDS Diagnoses		>= 12 Months after HIV Diagnosis		< 12 Months after HIV Diagnosis	
	No.	%	No.	%	No.	%
Sex						
Males	451	80%	186	78%	265	82%
Females	111	20%	51	22%	60	18%
Age at AIDS diagnosis						
<13	1	<1%	-	-	1	<1%
13-14	1	<1%	1	<1%	-	-
15-24	40	7%	6	3%	34	10%
25-34	130	23%	57	24%	73	22%
35-44	224	40%	96	41%	128	39%
45-54	130	23%	65	27%	65	20%
55-64	27	5%	11	5%	16	5%
65+	9	2%	1	<1%	8	2%
Race/Ethnicity						
White, not Hispanic	259	46%	107	45%	152	47%
Black, not Hispanic	263	47%	113	48%	150	46%
Hispanic	33	6%	14	6%	19	6%
Asian/Pacific Islander	2	<1%	1	<1%	1	<1%
American Indian/Alaska Native	-	-	-	-	-	-
Unknown	5	1%	2	1%	3	1%
Race/Sex						
White, not Hispanic Males	232	41%	93	39%	139	43%
White, not Hispanic Females	27	5%	14	6%	13	4%
Black, not Hispanic Males	191	34%	82	35%	109	34%
Black, not Hispanic Females	72	13%	31	13%	41	13%
Hispanic Males	21	4%	8	3%	13	4%
Hispanic Females	12	2%	6	3%	6	2%
Asian/Pacific Islander Males	2	<1%	1	<1%	1	<1%
Asian/Pacific Islander Females	-	-	-	-	-	-
American Indian/Alaska Native Males	-	-	-	-	-	-
American Indian/Alaska Native Females	-	-	-	-	-	-
Unknown	5	1%	2	1%	3	1%
Total	562		237		325	

Note: Data reflects all persons with an AIDS diagnosis in 2005 and for those who were and were not diagnosed with AIDS within 12 months of HIV infection.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2006.

Reported AIDS diagnoses in 2005 by transmission category, Ohio

Transmission Category	AIDS Diagnoses					
	2005 AIDS Diagnoses		≥ 12 Months after HIV Diagnosis		< 12 Months after HIV Diagnosis	
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	233	52%	93	50%	140	53%
Injection drug use (IDU)	23	5%	16	9%	7	3%
Male-to-male sexual contact and IDU	26	6%	14	8%	12	5%
Heterosexual contact	26	6%	15	8%	11	4%
Other/unknown	142	32%	48	26%	94	36%
Subtotal	450	100%	186	100%	264	100%
Female adult or adolescent						
Injection drug use	9	8%	5	10%	4	7%
Heterosexual contact	42	38%	19	38%	23	38%
Other/unknown	59	54%	26	52%	33	55%
Subtotal	110	100%	50	100%	60	100%
Child (<13 yrs at diagnosis)						
Perinatal	2	2%	1	2%	1	2%
Other/unknown	-	-	-	-	-	-
Subtotal	2	2%	1	2%	1	2%
Total	562		237		325	

Note: Data reflects all persons with an AIDS diagnosis in 2005 and for those who were and were not diagnosed with AIDS within 12 months of HIV infection.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2006.

Reported AIDS diagnoses in 2005, Ohio, by county

County ^a	AIDS Diagnoses		
	2005 AIDS Diagnoses	>= 12 Months after Diagnosis with HIV	< 12 Months after Diagnosis with HIV
	No.	No.	No.
Adams	-	-	-
Allen	1	-	1
Ashland	-	-	-
Ashtabula	2	1	1
Athens	2	2	-
Auglaize	2	1	1
Belmont	2	2	-
Brown	1	1	-
Butler	5	1	4
Carroll	-	-	-
Champaign	1	-	1
Clark	4	2	2
Clermont	4	1	3
Clinton	4	1	3
Columbiana	-	-	-
Coshocton	1	1	-
Crawford	1	1	-
Cuyahoga	134	66	68
Darke	-	-	-
Defiance	3	1	2
Delaware	-	-	-
Erie	2	1	1
Fairfield	5	2	3
Fayette	-	-	-
Franklin	100	44	56
Fulton	2	-	2
Gallia	1	-	1
Geauga	-	-	-
Greene	5	1	4
Guernsey	2	2	-
Ohio	562	237	325

Note: Data reflects all persons with an AIDS diagnosis in 2005 and for those who were and were not diagnosed with AIDS within 12 months of HIV infection.

Dash (-) indicates no cases were reported for the given category.

^a County reflects county of residence at time of AIDS diagnosis. Cases diagnosed while in a correctional facility or whose county is unknown are included in No County.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2006.

Reported AIDS diagnoses in 2005, Ohio, by county (*continued*)

County ^a	AIDS Diagnoses		
	2005 AIDS Diagnoses	>= 12 Months after Diagnosis with HIV	< 12 Months after Diagnosis with HIV
	No.	No.	No.
Hamilton	74	33	41
Hancock	3	1	2
Hardin	-	-	-
Harrison	-	-	-
Henry	-	-	-
Highland	-	-	-
Hocking	-	-	-
Holmes	-	-	-
Huron	3	1	2
Jackson	-	-	-
Jefferson	1	-	1
Knox	-	-	-
Lake	3	-	3
Lawrence	-	-	-
Licking	5	2	3
Logan	1	-	1
Lorain	11	4	7
Lucas	32	10	22
Madison	1	-	1
Mahoning	14	6	8
Marion	4	3	1
Medina	-	-	-
Meigs	-	-	-
Mercer	-	-	-
Miami	4	2	2
Monroe	-	-	-
Montgomery	45	13	32
Morgan	-	-	-
Morrow	2	-	2
Muskingum	1	-	1
Ohio	562	237	325

Note: Data reflects all persons with an AIDS diagnosis in 2005 and for those who were and were not diagnosed with AIDS within 12 months of HIV infection.

Dash (-) indicates no cases were reported for the given category.

^a County reflects county of residence at time of AIDS diagnosis. Cases diagnosed while in a correctional facility or whose county is unknown are included in No County.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2006.

Reported AIDS diagnoses in 2005, Ohio, by county (*continued*)

County ^a	AIDS Diagnoses		
	2005 AIDS Diagnoses	>= 12 Months after Diagnosis with HIV	< 12 Months after Diagnosis with HIV
	No.	No.	No.
Noble	2	2	-
Ottawa	1	-	1
Paulding	-	-	-
Perry	1	-	1
Pickaway	1	1	-
Pike	-	-	-
Portage	3	1	2
Preble	1	-	1
Putnam	1	-	1
Richland	4	1	3
Ross	2	1	1
Sandusky	5	1	4
Scioto	1	1	-
Seneca	1	1	-
Shelby	-	-	-
Stark	7	1	6
Summit	21	11	10
Trumbull	6	3	3
Tuscarawas	1	-	1
Union	-	-	-
Van Wert	-	-	-
Vinton	-	-	-
Warren	5	-	5
Washington	-	-	-
Wayne	-	-	-
Williams	-	-	-
Wood	2	-	2
Wyandot	-	-	-
No County	9	7	2
Ohio	562	237	325

Note: Data reflects all persons with an AIDS diagnosis in 2005 and for those who were and were not diagnosed with AIDS within 12 months of HIV infection.

Dash (-) indicates no cases were reported for the given category.

^a County reflects county of residence at time of AIDS diagnosis. Cases diagnosed while in a correctional facility or whose county is unknown are included in No County.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2006.