

## Reported deaths among persons with HIV/AIDS, by year of death (2000-2004) and cumulative deaths, and by selected characteristics, Ohio

Characteristic	Year of Death among Persons with HIV/AIDS										Cumulative Deaths	
	2000		2001		2002		2003		2004		No.	%
	No.	%	No.	%	No.	%	No.	%	No.	%		
<b>Sex</b>												
Males	182	85%	182	85%	191	85%	171	79%	168	83%	7,520	90%
Females	32	15%	32	15%	33	15%	45	21%	35	17%	862	10%
<b>Age at death</b>												
<13	-	-	-	-	2	1%	-	-	-	-	73	1%
13-14	-	-	-	-	-	-	-	-	-	-	3	<1%
15-24	2	1%	2	1%	1	<1%	4	2%	1	<1%	191	2%
25-34	36	17%	36	17%	34	15%	33	15%	16	8%	2,539	30%
35-44	83	39%	83	39%	108	48%	88	41%	83	41%	3,410	41%
45-54	65	30%	65	30%	56	25%	61	28%	73	36%	1,537	18%
55-64	20	9%	20	9%	18	8%	23	11%	19	9%	462	6%
65+	8	4%	8	4%	5	2%	7	3%	11	5%	167	2%
<b>Race/Ethnicity</b>												
White, not Hispanic	109	51%	109	51%	113	50%	104	48%	93	46%	5,337	64%
Black, not Hispanic	98	46%	98	46%	102	46%	101	47%	97	48%	2,789	33%
Hispanic	6	3%	6	3%	6	3%	10	5%	10	5%	231	3%
Asian/Pacific Islander	-	-	-	-	-	-	-	-	2	1%	13	<1%
American Indian/Alaska Native	-	-	-	-	-	-	-	-	-	-	5	<1%
Unknown	1	<1%	1	<1%	3	1%	1	<1%	1	<1%	7	<1%
<b>Race/Sex</b>												
White, not Hispanic Males	100	47%	100	47%	98	44%	91	42%	86	42%	4,999	60%
White, not Hispanic Females	9	4%	9	4%	15	7%	13	6%	7	3%	338	4%
Black, not Hispanic Males	77	36%	77	36%	85	38%	73	34%	72	35%	2,315	28%
Black, not Hispanic Females	21	10%	21	10%	17	8%	28	13%	25	12%	474	6%
Hispanic Males	5	2%	5	2%	5	2%	6	3%	7	3%	183	2%
Hispanic Females	1	<1%	1	<1%	1	<1%	4	2%	3	1%	48	1%
Asian/Pacific Islander Males	-	-	-	-	-	-	-	-	2	1%	13	<1%
Asian/Pacific Islander Females	-	-	-	-	-	-	-	-	-	-	-	-
American Indian/Alaska Native Males	-	-	-	-	-	-	-	-	-	-	4	<1%
American Indian/Alaska Native Females	-	-	-	-	-	-	-	-	-	-	1	<1%
Unknown	1	<1%	1	<1%	3	1%	1	<1%	1	<1%	7	<1%
<b>Total</b>	<b>214</b>		<b>214</b>		<b>224</b>		<b>216</b>		<b>203</b>		<b>8,382</b>	

Notes: Deaths among persons with HIV/AIDS represent deaths attributed to any cause among persons reported with a diagnosis of HIV or AIDS. Deaths by year (2000-2004) represent the number of deaths per year; cumulative deaths represent all reported deaths since the beginning of the epidemic through 2004.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2006.

**Reported deaths among persons with HIV/AIDS, by year of death (2000-2004) and cumulative deaths, and by transmission category, Ohio**

Transmission Category	Year of Death among Persons with HIV/AIDS										Cumulative Deaths	
	2000		2001		2002		2003		2004		No.	%
	No.	%	No.	%	No.	%	No.	%	No.	%		
<b>Male adult or adolescent</b>												
Male-to-male sexual contact	99	54%	99	54%	98	52%	73	43%	89	53%	5,198	70%
Injection drug use (IDU)	17	9%	17	9%	21	11%	19	11%	18	11%	640	9%
Male-to-male sexual contact and IDU	15	8%	15	8%	21	11%	11	6%	7	4%	534	7%
Heterosexual contact	10	5%	10	5%	5	3%	11	6%	6	4%	201	3%
Other/unknown	41	23%	41	23%	45	24%	56	33%	48	29%	898	12%
Subtotal	182	100%	182	100%	190	100%	170	100%	168	100%	7,471	100%
<b>Female adult or adolescent</b>												
Injection drug use	9	28%	9	28%	4	13%	7	16%	11	31%	227	28%
Heterosexual contact	17	53%	17	53%	16	52%	16	36%	13	37%	377	46%
Other/unknown	6	19%	6	19%	11	35%	22	49%	11	31%	215	26%
Subtotal	32	100%	32	100%	31	100%	45	100%	35	100%	819	100%
<b>Child (&lt;13 yrs at diagnosis)</b>												
Perinatal	-	-	-	-	2	67%	-	-	-	-	67	73%
Other/unknown	-	-	-	-	1	33%	1	100%	-	-	25	27%
Subtotal	-	-	-	-	3	100%	1	100%	-	-	92	100%
<b>Total</b>	<b>214</b>		<b>214</b>		<b>224</b>		<b>216</b>		<b>203</b>		<b>8,382</b>	

Notes: Deaths among persons with HIV/AIDS represent deaths attributed to any cause among persons reported with a diagnosis of HIV or AIDS. Deaths by year (2000-2004) represent the number of deaths per year; cumulative deaths represent all reported deaths since the beginning of the epidemic through 2004.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2006.

## Reported deaths among persons with HIV/AIDS, by year of death (2000-2004) and cumulative deaths, Ohio, by county

### Year of Death among Persons with HIV/AIDS

County <sup>a</sup>	2000	2001	2002	2003	2004	Cumulative Deaths
	No.	No.	No.	No.	No.	No.
Adams	1	1	-	-	-	9
Allen	1	1	4	3	1	61
Ashland	-	-	-	-	1	8
Ashtabula	-	-	-	3	-	24
Athens	-	-	-	3	-	24
Auglaize	-	-	-	1	-	9
Belmont	2	2	1	-	-	19
Brown	-	-	-	-	-	6
Butler	2	2	9	1	2	113
Carroll	-	-	-	-	-	7
Champaign	-	-	-	1	1	15
Clark	3	3	3	1	1	91
Clermont	1	1	1	1	1	38
Clinton	1	1	-	-	-	16
Columbiana	1	1	-	2	1	31
Coshocton	-	-	-	-	-	4
Crawford	-	-	2	3	-	17
Cuyahoga	49	49	47	50	54	1,946
Darke	-	-	-	2	-	16
Defiance	-	-	1	-	1	12
Delaware	1	1	1	2	1	25
Erie	2	2	-	2	2	43
Fairfield	-	-	1	1	1	38
Fayette	1	1	-	-	1	11
Franklin	46	46	43	40	33	1,584
Fulton	-	-	-	-	-	9
Gallia	-	-	1	1	-	7
Geauga	-	-	-	1	-	20
Greene	2	2	1	1	-	62
Guernsey	-	-	2	-	-	6
<b>Ohio</b>	<b>214</b>	<b>214</b>	<b>224</b>	<b>216</b>	<b>203</b>	<b>8,382</b>

Notes: Deaths among persons with HIV/AIDS represent deaths attributed to any cause among persons reported with a diagnosis of HIV or AIDS. Deaths by year (2000-2004) represent the number of deaths per year; cumulative deaths represent all reported deaths since the beginning of the epidemic through 2004.

Dash (-) indicates no cases were reported for the given category.

<sup>a</sup> County reflects county of residence at time of earliest diagnosis. Cases diagnosed while in a correctional facility or whose county is unknown are included in No County.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2006.

## Reported deaths among persons with HIV/AIDS, by year of death (2000-2004) and cumulative deaths, Ohio, by county

### Year of Death among Persons with HIV/AIDS

County <sup>a</sup>	2000	2001	2002	2003	2004	Cumulative Deaths
	No.	No.	No.	No.	No.	No.
Hamilton	28	28	30	24	17	1,081
Hancock	1	1	-	-	-	19
Hardin	-	-	-	1	-	6
Harrison	-	-	-	-	-	5
Henry	-	-	1	-	-	6
Highland	-	-	-	-	-	8
Hocking	-	-	-	-	-	5
Holmes	-	-	-	-	1	3
Huron	-	-	-	1	-	13
Jackson	-	-	-	-	-	10
Jefferson	-	-	1	-	3	43
Knox	-	-	-	1	-	14
Lake	-	-	1	1	1	75
Lawrence	1	1	-	-	2	22
Licking	-	-	-	-	1	60
Logan	-	-	-	-	1	13
Lorain	7	7	4	1	2	124
Lucas	13	13	10	7	15	395
Madison	1	1	1	1	-	17
Mahoning	1	1	3	4	4	171
Marion	-	-	-	-	2	29
Medina	-	-	1	1	-	20
Meigs	-	-	-	-	-	4
Mercer	-	-	-	-	-	9
Miami	3	3	-	2	-	34
Monroe	-	-	-	-	-	3
Montgomery	10	10	13	14	12	556
Morgan	-	-	-	-	-	1
Morrow	1	1	-	-	-	11
Muskingum	1	1	-	4	-	29
<b>Ohio</b>	<b>214</b>	<b>214</b>	<b>224</b>	<b>216</b>	<b>203</b>	<b>8,382</b>

Notes: Deaths among persons with HIV/AIDS represent deaths attributed to any cause among persons reported with a diagnosis of HIV or AIDS. Deaths by year (2000-2004) represent the number of deaths per year; cumulative deaths represent all reported deaths since the beginning of the epidemic through 2004.

Dash (-) indicates no cases were reported for the given category.

<sup>a</sup> County reflects county of residence at time of earliest diagnosis. Cases diagnosed while in a correctional facility or whose county is unknown are included in No County.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2006.

## Reported deaths among persons with HIV/AIDS, by year of death (2000-2004) and cumulative deaths, Ohio, by county

### Year of Death among Persons with HIV/AIDS

County <sup>a</sup>	2000	2001	2002	2003	2004	Cumulative Deaths
	No.	No.	No.	No.	No.	No.
Noble	-	-	-	-	-	-
Ottawa	-	-	-	-	-	12
Paulding	-	-	-	-	-	4
Perry	1	1	-	-	-	8
Pickaway	-	-	-	-	-	49
Pike	-	-	-	-	-	10
Portage	-	-	-	1	-	36
Preble	-	-	-	-	-	9
Putnam	-	-	-	-	-	5
Richland	-	-	-	3	2	72
Ross	1	1	-	2	-	34
Sandusky	-	-	-	-	-	21
Scioto	1	1	-	-	2	26
Seneca	-	-	-	-	1	16
Shelby	2	2	-	-	-	16
Stark	6	6	4	6	5	185
Summit	8	8	6	4	11	344
Trumbull	1	1	4	-	1	72
Tuscarawas	1	1	-	1	-	11
Union	-	-	-	1	-	14
Van Wert	-	-	-	1	-	3
Vinton	-	-	-	-	-	2
Warren	-	-	1	1	-	26
Washington	-	-	-	-	1	35
Wayne	-	-	-	-	-	20
Williams	-	-	-	-	-	9
Wood	-	-	2	-	-	32
Wyandot	-	-	-	-	-	3
No County	13	13	25	15	18	251
<b>Ohio</b>	<b>214</b>	<b>214</b>	<b>224</b>	<b>216</b>	<b>203</b>	<b>8,382</b>

*Notes:* Deaths among persons with HIV/AIDS represent deaths attributed to any cause among persons reported with a diagnosis of HIV or AIDS. Deaths by year (2000-2004) represent the number of deaths per year; cumulative deaths represent all reported deaths since the beginning of the epidemic through 2004.

Dash (-) indicates no cases were reported for the given category.

<sup>a</sup> County reflects county of residence at time of earliest diagnosis. Cases diagnosed while in a correctional facility or whose county is unknown are included in No County.

*Source:* Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2006.